






Single Inswing L, R




- Available Standard Size
- L Left hand hinge
- R Right hand hinge

All configurations viewed from exterior



		Width						
		Single (Inswing)						
Height	RO (Inches)			32 1/8	34 1/8	36 1/8	38 1/4	
	RO (mm)			817	868	919	970	
	OSM (Inches)			31 3/8	33 3/8	35 3/8	37 3/8	
	OSM (mm)			797	848	899	950	
	82 5/8	2098	82 1/4	2088	3080	3280	3480	3680
	98 5/8	2504	98 1/8	2494		3296		3696

Single Outswing L, R





		Width						
		Single (Outswing)						
Height	RO (Inches)			32 1/8	34 1/8	36 1/8	38 1/4	
	RO (mm)			817	868	919	970	
	OSM (Inches)			31 3/8	33 3/8	35 3/8	37 3/8	
	OSM (mm)			797	848	899	950	
	81 3/4	2076	81 3/8	2066	3080	3280	3480	3680
	97 3/4	2482	97 3/8	2472		3296		3696




Double Inswing L, R

- Available Standard Size
- L Left hand hinge
- R Right hand hinge
- I Inactive (hinged on jamb side)

All configurations viewed from exterior





L I (Inswing)




I R (Inswing)

		Width						
		Double (Inswing)						
Height	RO (Inches)			62 3/4	66 3/4	70 3/4	74 3/4	
	RO (mm)			1593	1696	1798	1899	
	OSM (Inches)			62	66	70	74	
	OSM (mm)			1573	1676	1778	1879	
		82 5/8	2098	82 1/4	2088	6080	6480	6880
	98 5/8	2504	98 1/8	2494		6496		7296

Double Outswing L, R



L I (Outswing)



I R (Outswing)

		Width						
		Double (Outswing)						
Height	RO (Inches)			62 3/4	66 3/4	70 3/4	74 3/4	
	RO (mm)			1593	1696	1798	1899	
	OSM (Inches)			62	66	70	74	
	OSM (mm)			1573	1676	1778	1879	
		81 3/4	2076	81 3/8	2066	6080	6480	6880
	97 3/4	2482	97 3/8	2472		6496		7296




2-Wide and 3-Wide - Inswing LF, LFF

Comes with sliding screen


- Available Standard Size
- L Left hand hinge
- R Right hand hinge
- F Fixed
- V Venting with crank handle

All configurations viewed from exterior



		Width										
		2-Wide				3-Wide						
Height	RO (Inches)	63 1/2	67 1/2	71 5/8	75 5/8	94 7/8	101	107	113			
	RO (mm)	1614	1716	1818	1920	2411	2564	2717	2870			
	OSM (Inches)	62 3/4	66 3/4	70 3/4	74 3/4	94 1/8	100 1/8	106 1/8	112 1/4			
	OSM (mm)	1594	1696	1798	1900	2391	2544	2697	2850			
	82 5/8	2098	82 1/4	2088	6080	6480	6880	7280	9080	9680	10280	10880
	98 5/8	2504	98 1/8	2494		6496		7296		9696		10896

2-Wide and 3-Wide - Outswing LV, LFFV



		Width										
		2-Wide				3-Wide						
Height	RO (Inches)	63 1/2	67 1/2	71 5/8	75 5/8	94 7/8	101	107	113			
	RO (mm)	1614	1716	1818	1920	2411	2564	2717	2870			
	OSM (Inches)	62 3/4	66 3/4	70 3/4	74 3/4	94 1/8	100 1/8	106 1/8	112 1/4			
	OSM (mm)	1594	1696	1798	1900	2391	2544	2697	2850			
	81 3/4	2076	81 3/8	2066	6080	64680	6880	7280	9080	9680	10280	10880