



MITTEN[®]

BUILDING PRODUCTS

PRODUCT SHOWCASE 2021




SIDING



ALUMINUM



SHAKE



WINDOWS




ENTRY & PATIO DOORS



STONE



ACCENTS



TOOLS & EQUIPMENT



BUILDING ENVELOPE




BUILDING PRODUCTS

Mitten provides the most comprehensive selection of high quality, in-stock exterior design solutions.

Mitten helps Architects, Builders and Installers make their ideas and projects come to life by supplying quality materials in an endless variety of design solutions that are easy to install. Mitten sets the benchmark for quality, design options and product availability.

As part of the Cornerstone Building Brands family, we are the largest manufacturer of exterior building products in North America.

SIDING



- Sentry Variegated 4, 5
- Sentry 6, 7
- Highland..... 8, 9
- Oregon Pride..... 10, 11
- Vinyl Trims & Accessories 12, 13 14
- Vinyl Soffit 16, 17
- Pleasant View Skirting 17
- LUX Architectural Products..... 18, 19
- Ply Gem Steel Siding 20
- Certificate of Conformance/Warranty 21
- Vinyl Colour Matrix 42, 43

ALUMINUM



- Ply Gem Aluminum .. 22, 23
- Alu-Rex Gutter Protection..... 24
- Aluminum Colour Matrix..... 44, 45

SHAKE & STONE



- Mitten Colour Matched 8' Shake..... 25
- NovikShake NP Northern Perfection 25
- NovikShake™ and NovikStone™ 26, 27
- The Foundry Shake..... 28
- Shake Stocking Matrix... 46
- ClipStone 29
- Genstone 30
- Versetta Stone 31
- Stone Stocking Matrix... 46



WINDOWS & DOORS



- Ply Gem Windows 32
- Fusion Colour Wrap 32
- Ply Gem Doors 33

ACCENTS



- Ply Gem Blocks & Vents..... 34, 35
- Ply Gem PVC Trim..... 36
- Novik Shutters..... 36
- Fence, Railings & Columns 37

BUILDING ENVELOPE



- House Wrap 38
- Insulation, Sealants & Foams 38

TOOLS & EQUIPMENT




- Tools..... 39
- Bending Equipment 39
- Scaffolding & Ladders..... 39
- Fasteners 39

BRANCH LOCATIONS

- Branch Locations 41

MITTEN[®]

BUILDING PRODUCTS



Free Samples

Want to see a colour up close? Order up to 5 complimentary vinyl siding and colour matched shake sample chips online.

Visit mittensiding.com and order your free samples!



COLOURMATCH

The Mitten Colour Match Concept

Mitten Siding & Accessories offer you the choice to match your Vinyl Siding colours with an extensive variety of complementary products.

Choose Colour Matched Aluminum Trim, Shake, Blocks/Mounts/Vents, Caulking and Fasteners. We even have colour matches on file with major paint manufacturers.


Have confidence knowing your home is going to look great with Colour Matched Mitten Siding and Accessories.



Visualization

Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our pre-masked photos, or upload and customize a photo of your own home.

Visit the **Mitten Visualizer** section of www.mittensiding.com or download the **Mitten Pro iPad App** (Search "Mitten Pro" for iPad only).



Sales Leads

Each month, tens of thousands visit our website. Homeowners searching for product information are directed to the "Where To Buy" contractor locator or they can click "Get an Estimate" to be connected with a member of the Mitten ProNetwork. By completing a short online form to detail their project, these homeowners quickly become pre-qualified sales leads. Take advantage of the website traffic generated by mittensiding.com and boost your business by signing up for the Mitten ProNetwork.



Online Training

Continue to develop your skills and knowledge with Mitten Online Training. To be successful, everyone needs to have knowledge about the products they sell, install, service or support. Go to mittentraining.com or to our website at mittensiding.com

Social Media



Facebook



Twitter



LinkedIn



YouTube

@MittenSiding

- Stay in touch •
- Get Inspired •

- Share your projects •
- Provide feedback •

- Learn about our products •
- Share your story •





MITTEN
BUILDING PRODUCTS

SENTRY
VARIEGATED VINYL SIDING

Our ultra premium variegated siding features four multi-tone RUSTIC colours to achieve the stunning look of stained cedar with a deep textured woodgrain. Painting, sealing or caulking is never required, and the panels are backed by a **No Fade Promise*** along with Mitten's limited lifetime warranty.

Available in Sentry's three popular profiles including a vertical Board & Batten panel, the four richly grained and inviting colours are easy to install, architecturally pleasing and sure to create instant curb appeal.

RUSTIC Colours



D4H = Double 4" Horizontal
B&B = Board & Batten

D4.5DL = Double 4.5" Dutchlap

Performance Features:



**NO FADE
PROMISE**



**PREMIUM
.044" THICKNESS**



**HURRICANE FORCE
WIND SPEED RATED**



**CONTOURED
LOCK SYSTEM**



**ROLL-OVER
NAIL HEM**



**LOW GLOSS
2 TONE
FINISH**



**LIMITED LIFETIME
WARRANTY**



*Product will not fade in excess of a Delta E of 1 Hunter unit outside the manufacturing tolerances in the first 5 years and a Delta E of 2 Hunter units outside the manufacturing tolerances after the first 5 years from the date of the original installation of the product on the property.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Double 4.5\"/>

Shown in Arctic Grey

Length/Pc:
12'1\"/>

Width/Pc:
9\"/>

Panels/Ctn:
22

Coverage/Ctn:
200 sq. ft. 18.58 m²

Nom. Thickness:
.044\"/>

Windload Data:
180 mph 290 KM/h

Double 4\"/>

Shown in
Farmhouse

Length/Pc:
12'6\"/>

Width/Pc:
8\"/>

Panels/Ctn:
24

Coverage/Ctn:
200 sq. ft. 18.58 m²

Nom. Thickness:
.044\"/>

Windload Data:
180 mph 290 KM/h

Board & Batten

Shown in
Hemlock

Length/Pc:
10' 3.04cm


Width/Pc:
7\"/>

Panels/Ctn:
17


Coverage/Ctn:
100 sq. ft. 9.29 m²

Nom. Thickness:
.050\"/>


Windload Data:
195 mph 313KM/h




Burnt Sienna



Farmhouse



Arctic Grey



Hemlock




COLOURMATCH










MITTEN SENTRY® BUILDING PRODUCTS 44 SERIES VINYL SIDING

Our premium product line offers a .044" thick panel and a complete selection of Bold Premium & Natural Standard colour options. Profiles feature a cedar-grain texture in a low-gloss finish with a distinctive deep silhouette for rich shadow lines. Board & Batten profile is also available for vertical applications.







Bold Premium Colours:



D4H = Double 4" Horizontal
D4.5DL = Double 4.5" Dutchlap
B&B = Board & Batten



Natural Standard Colours:



Performance Features:



COLOUR MATCHED
ALUMINUM & ACCESSORIES



PREMIUM
.044" THICKNESS



HURRICANE FORCE
WIND SPEED RATED



CONTOURED
LOCK SYSTEM



ROLL-OVER
NAIL HEM



LOW GLOSS
COLOUR-RICH FINISH



LIFETIME COLOUR
FADE PROTECTION



LIMITED LIFETIME
WARRANTY

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Pictured here in Regatta Blue, Saffron, Grenadier Green, Lighthouse Red & Eggplant



Double 4.5" Dutchlap

Shown in Grenadier Green

Length/Pc:
12'1" 3.68m
Width/Pc:
9" 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.044" 1.12 mm
Windload Data:
180 mph 290 KM/h

Double 4" Horizontal

Shown in Lighthouse Red

Length/Pc:
12'6" 3.81m
Width/Pc:
8" 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.044" 1.12 mm
Windload Data:
180 mph 290 KM/h

Board & Batten

Shown in Yukon Grey

Length/Pc:
10' 3.04cm
Width/Pc:
7" 17.78cm
Panels/Ctn:
17
Coverage/Ctn:
100 sq. ft. 9.29 m²
Nom. Thickness:
Standard Colours
.045" 1.14 mm
Premium Colours
.050" 1.27 mm
Windload Data:
195 mph 313KM/h

Rich cedar grain texture shown in Rockaway Grey

Trims & Accessories:

Sentry also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.



COLOURMATCH

MITTEN[®] BUILDING PRODUCTS

HIGHLAND[®] 42 SERIES VINYL SIDING

Highland is our most complete product line offering a wide selection of six different .042" thick profiles and a variety of colours.

Attractive profiles feature a satin finish wood-grain texture and complement a variety of architectural styles.



Satin finish wood-grain texture shown in Nickel

Performance Features:



COLOUR MATCHED ALUMINUM & ACCESSORIES



PREMIUM .042" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS COLOUR-RICH FINISH




LIFETIME COLOUR FADE PROTECTION




LIMITED LIFETIME WARRANTY


Bold Premium Colours:



Khaki Brown



Rockaway Grey



Grenadier Green


Trims & Accessories

Highland also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.


Natural Standard Colours:




Frost




Bone




Ivory




Cypress



Stratus




Flagstone




Brownstone



Clay




Hearthstone



Sandalwood



Ash




Sandcastle




Lite Maple




Saffron




Satin Grey



Sage




Nickel



Indigo

D4H = Double 4" Horizontal
D4.5DL = Double 4.5" Dutchlap
D4.5H = Double 4.5" Horizontal
D5DL = Double 5" Dutchlap
D5H = Double 5" Horizontal
T3H = Triple 3" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Triple Three

Shown in
Lite Maple

Length/Pc :
12' / 3.66m
Width/Pc:
10" / 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.040" / 1.02 mm
Windload Data:
155 mph / 249 KM/h

Double 5" Horizontal

Shown in
Sandcastle

Length/Pc :
12' / 3.66m
Width/Pc:
10" / 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 5" Dutchlap

Shown in
Ash

Length/Pc :
12' / 3.66m
Width/Pc:
10" / 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 4.5" Horizontal

Shown in
Brownstone

Length/Pc :
12'1" / 3.68cm
Width/Pc:
9" / 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 4.5" Dutchlap

Shown in Clay

Length/Pc :
12'1" / 3.68cm
Width/Pc:
9" / 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 4" Horizontal

Shown in
Khaki Brown

Length/Pc :
12'6" / 3.81m
Width/Pc:
8" / 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h



COLOURMATCH

MITTEN
BUILDING PRODUCTS

OREGONPRIDE
40 SERIES VINYL SIDING

Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Brownstone

Performance Features:



COLOUR MATCHED
ALUMINUM & ACCESSORIES



CLASSIC
.040" THICKNESS



HURRICANE FORCE
WIND SPEED RATED



CONTOURED
LOCK SYSTEM



ROLL-OVER
NAIL HEM



LOW GLOSS
COLOUR-RICH FINISH



LIFETIME COLOUR
FADE PROTECTION



LIMITED LIFETIME
WARRANTY


Trims & Accessories

Oregon Pride also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

Natural Standard Colours:

D4H D4DL D4.5H D4.5DL D5DL D5V Frost	D4H D4DL D4.5H D4.5DL D5DL D5V Bone	D4H D4DL D4.5H D4.5DL D5DL D5V Ivory	D4H D4DL D4.5H D4.5DL D5DL D5V Cypress	D4H D4DL D4.5H D4.5DL D5DL D5V Stratus	D4H D4DL D4.5H D4.5DL D5DL D5V Flagstone	D4H D4DL D4.5H D4.5DL D5DL D5V Brownstone
D4H D4DL D4.5H D4.5DL D5DL D5V Clay	D4H D4DL D4.5H D4.5DL D5DL D5V Hearthstone	D4H D4DL D4.5H D4.5DL D5DL D5V Sandalwood	D4H D4.5DL D5V Ash	D4H D4.5DL D5V Sandcastle	D4H D4.5DL D5V Lite Maple	D4H D4.5DL D5V Saffron
D4H D4.5DL D5V Satin Grey	D4H D4.5DL D5V Sage	D4H D4DL D4.5H D4.5DL D5DL D5V Nickel	D4H D4.5DL D5V Indigo	D4H = Double 4" Horizontal D4DL = Double 4" Dutchlap D4.5H = Double 4.5" Horizontal D4.5DL = Double 4.5" Dutchlap D5DL = Double 5" Dutchlap D5V = Double 5" Vertical		

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Double 5\"/>

Shown in Frost

Length/Pc:
12' 3.66m
Width/Pc:
10" 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
NA

Double 5\"/>

Shown in Nickel

Length/Pc:
12' 3.66m
Width/Pc:
10" 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4.5\"/>

Shown in Flagstone

Length/Pc:
12'1" 3.68m
Width/Pc:
9" 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4.5\"/>

Shown in Stratus

Length/Pc:
12'1" 3.68m
Width/Pc:
9" 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4\"/>

Shown in Brownstone

Length/Pc:
12'6" 3.81cm
Width/Pc:
8" 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4\"/>


Shown in Indigo

Length/Pc:
12'6" 3.81m
Width/Pc:
8" 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

VINYL SIDING TRIMS & ACCESSORIES




COLOURMATCH



1/2" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all soffit applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 50 / 50
Coverage/Carton: 600 LF / 182.88 m



STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding.
INSTALLATION NOTE:
Starter strip must be level!



Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



7/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with shake and shingle applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



GALVANIZED STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding.
INSTALLATION NOTE:
Starter strip must be level!


Length/Piece: 9'-10" / 2.99 m
Pieces/Carton: 20 / 20
Coverage/Carton: 196 LF / 59.94 m



1/2" F-CHANNEL

Used for soffit applications, installation starting point at the wall.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 30 / 30
Coverage/Carton: 360 LF / 109.73 m



5/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all standard siding applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



FINISH TRIM

Used above and below windows & doors and at the top of siding wall at soffit levels for decorative finish.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



H-TRIM

Double channel trim that provides a transition between horizontal and vertical siding.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 12 / 12
Coverage/Carton: 144 LF / 36.58 m



RECESSED WINDOW & DOOR TRIM

Used as a return around windows & doors.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 16 / 16
Coverage/Carton: 192 LF / 58.52 m



BELT LINE

Same function as the H-Trim, to provide a transition between horizontal and vertical siding. Can also be used as a Starter Strip for horizontal to vertical siding applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



3-1/2" WINDOW & DOOR TRIM

Used around windows & doors for a decorative finish.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 10 / 10
Coverage/Carton: 120 LF / 36.58 m



DRIP CAP

Used above windows & doors to channel water away from the wall.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



FASCIA

Used to provide a decorative finish over the roof rafters.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 10 / 10
Coverage/Carton: 120 LF / 36.58 m



WINDOW CASING TRIM

Decorative accent for windows.

Length/Piece: 12' / 3.66 m
Pieces/Carton: 10 / 10
Coverage/Carton: 120 LF / 36.58 m



FASCIA-J


Used to provide a decorative finish over the roof rafters complete with J-Channel for soffit starting point.

Length/Piece: 12' / 3.66 m
Pieces/Carton: 20 / 20
Coverage/Carton: 240 LF / 73.15 m

VINYL SIDING TRIMS & ACCESSORIES




COLOURMATCH



INSIDE CORNER POST

Used to join siding panels at the inside corner of the wall.


Length/Piece: 10' / 3.05 m
Pieces/Carton: 20 / 20
Coverage/Carton: 200 LF / 60.96 m



TRADITIONAL 5-1/2" OUTSIDE CORNER POST - 20'

Wider & longer corner application to provide a finished look at the corners of the wall.


Length/Piece: 20' / 6.096 m
Pieces/Carton: 5 / 5
Coverage/Carton: 100 LF / 30.48 m



3" OUTSIDE CORNER POST - 10'

Used to cover corner end of the wall and to provide a finished look.


Length/Piece: 10' / 3.05 m
Pieces/Carton: 12 / 12
Coverage/Carton: 120 LF / 36.58 m



FLUTED 5-1/2" OUTSIDE CORNER POST - 20'

Wider & Longer corner application to provide a finished look at the corners of the wall.

Length/Piece: 20' / 6.096 m
Pieces/Carton: 5 / 5
Coverage/Carton: 100 LF / 30.48 m



3" OUTSIDE CORNER POST - 12'

Used to cover corner end of the wall and to provide a finished look.
12' application for longer corners.

Length/Piece: 12' / 3.66 m
Pieces/Carton: 12 / 12
Coverage/Carton: 144 LF / 43.89 m

MITTEN

**Vinyl Trims & Accessories are
colour matched to Mitten Vinyl Siding!**

**Please refer to the Vinyl Colour Matrix found on pages 42 & 43
for full product offering**

5 Reasons Vinyl Siding Remains the Top Home Exterior Design Choice

Did you know? Vinyl siding is the primary cladding material on nearly one third of all new homes built.¹

1 Boosts Curb Appeal



THE COLOURS of Mitten Siding & Accessories are certified through the Vinyl Siding Institute (VSI) Product Certification Program for colour retention.

Its unmatched selection of profiles, shapes, textures and colours makes vinyl siding ideal for any home renovation.

Those who re-sided their homes with vinyl siding recouped more than 74% of that cost when selling.²

2 Weather Resistant

MITTEN SIDING & ACCESSORIES is weather resistant, fade resistant and insect resistant.³



NEVER ABSORBS WATER



FADE RESISTANT



INSECT RESISTANT



3 Never Requires Painting

MITTEN SIDING & ACCESSORIES are third-party tested and certified for quality and colour retention. The colour is inside the product, not on top of the surface. It does not crack, peel or fade.

Vinyl siding requires no painting or caulking, just simple cleaning with a garden hose.



4 High Performance



VIRTUALLY INDESTRUCTIBLE



RESISTS WIND SPEEDS UP TO 195 MPH/313KPH.

5 Peace of Mind



MITTEN SIDING & ACCESSORIES are backed by industry-leading warranties that last the lifetime of a home and transfer to the next owner.



LIMITED LIFETIME WARRANTY

MITTEN
BUILDING PRODUCTS


1. Canadian Consumer Practices Report - 2017, Home Innovations Research Center.
2. 2020 Cost vs. Value Report, *Remodeling Magazine*.
3. Vinyl siding is not a weather resistive barrier and must be installed according to installation instructions.



COLOURMATCH

Equinox T3-1/3" Soffit

Premium 10" wide heavy duty soffit engineered to perform. Panels provide a smooth, flat surface and offers the perfect balance of aesthetics and performance.



Features:

- Triple 3-1/3" profile (10" wide)
- Premium .045" thickness for extra rigidity
- Deep 1/2" panel projection for sharp definition
- Solid or Hidden Vent
- A Hidden Vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m)


Width/Pc: 10" (25.4cm) **Panels/Ctn:** 20

Coverage/Ctn: 200 sq. ft. (18.58 m²)

Net Free Air Intake Per Foot: Vented 8.4 sq. in.

Triple 4" Soffit

U groove designed for greater rigidity, delivering outstanding performance, quality and durability.



Features:

- Triple 4" profile (12" wide)
- .040" thickness
- Solid, Lanced or Perforated

Length/Pc: 12' (3.66m)

Width/Pc: 12" (30.48cm)

Panels/Ctn: 16

Coverage/Ctn: 192 sq. ft. (17.84 m²)

Net Free Air Intake Per Foot:

Lanced: CV 2.4 sq. in.


FV 7.2 sq. in.

Perforated: CV 1.96 sq. in.

FV 5.89 sq. in.

Double 5" Soffit

Combines U groove design and attractive appearance with the rigidity and durability of premium vinyl.



Features:

- Double 5" profile (10" wide)
- .040" thickness
- Solid or Perforated
- Non-ventilated panels may also be used as vertical siding accent

Length/Pc: 12' (3.66m)

Width/Pc: 10" (25.4cm)

Panels/Ctn: 20

Coverage/Ctn: 200 sq. ft. (18.58 m²)

Net Free Air Intake Per Foot:

Perforated Full Vent 4.2 sq. in.

Natural Standard Colours:

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

D5" T4" B7" ET3-1/3" JF8" JF16" Frost	D5" T4" JF8" Bone	D5" T4" Ivory	D5" T4" Cypress	D5" T4" Stratus	D5" T4" Flagstone	D5" T4" ET3-1/3" JF8" Brownstone	D5" Satin Grey
D5" Clay	D5" T4" JF8" JF16" Hearthstone	D5" T4" Sandalwood	D5" Ash	D5" Sandcastle	D5" Lite Maple	D5" Saffron	D5" Sage
T4" ET3-1/3" Musket Brown	D5" T4" Nickel	D5" T4" Indigo	T4" * Black	ET3-1/3" = Equinox T3.5" Soffit B7" = 7" Beaded Soffit JF8" = Jamb-Fit™ 8" Soffit		D5" = Double 5" Soffit T4" = Triple 4" Soffit JF16" = Jamb-Fit™ 16" Soffit	
				* For Soffit applications only.			

* For Soffit applications only.

Vinyl Soffit provides essential ventilation and air movement through the roof structure, eliminating moisture that can cause rotting and decay. It will not rot, peel, chip, flake or blister and vinyl never needs to be painted. All Mitten Vinyl Soffit products feature a Limited Lifetime Warranty.

7" Beaded Soffit

7" wide panel ideal for porch ceilings or to cover up larger areas, adding character and a traditional finishing touch.



Features

- Single 7" wide profile
- .040" thickness
- Solid or Hidden Vent
- A hidden vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m)


Width/Pc: 7" (17.8cm) **Panels/Ctn:** 28

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: Vented 2.66 sq. in.

Jamb-Fit™ 8" Soffit

A durable soffit with an easy to install slide lock.



Features:

- Double 4" profile (8" wide)
- .040" thickness
- Solid or Vented

Length/Pc: 12' (3.66m)

Width/Pc: 8" (20.32cm)

Panels/Ctn: 24

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: 3.14

Jamb-Fit™ 16" Soffit

A wider soffit panel providing easy transition from eaves to wider overhangs, complete with an easy to install slide lock.



Features:

- Quad 4" profile (16" wide)
- .040" thickness
- Solid or Vented

Length/Pc: 12' (3.66m)

Width/Pc: 16" (40.64cm) **Panels/Ctn:** 12

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: 6.26

MITTEN
BUILDING PRODUCTS

PLEASANTVIEW
SKIRTING

- Skirting secures to the perimeter of any mobile home, cottage, deck or foundation
- Vinyl skirting will not rot, peel, flake or blister. No need to paint - ever
- Ventilated panels encourage air flow and reduce moisture build-up and musty odours
- Front rail pops up so skirting can be easily removed to access storage areas
- Available in Frost to complement any application
- A great alternative to wooden lattice as it won't attract termites

	TRIPLE 4" SKIRTING		FRONT/BACK BOTTOM RAIL	
Length/Pc	12'	3.66 m	12'	3.66 m
Width/Pc	12"	30.48 cm	--	--
Panels/Ctn	16	16	16	16
Coverage/Ctn	192 sq. ft.	17.84 m ²	192 LF	58.52 m ²

Note: Vented Skirting has 14 pcs/ctn, covering 168 sq. ft./15.6 m²





The reliability of
prefinished steel
with the timeless
beauty of wood

CCMC #14137-L Compliant

- LUX Panel is available in any custom length from 4' to 24'
- No minimum order required
- Premium Kynar finish - durable and long lasting
- Full line of standard & custom flashings available
- Non-combustible
- 25-Year finish warranty
- Optional venting
- Impenetrable to insects
- Water resistant
- Manufactured in Canada
- LUX passes the CAN/ULC S102-10 with a ZERO Flame Spread rating!
- LUX passes ASTM B117 Salt Spray Test
- LUX meets and conforms to CGSB-93,4-92 as per Standards Council of Canada, National Research Council Canada, National Building Code of Canada
- LUX passed the National Research Council of Canada Wind Load Test

LUX COLOURS

C B RP	C B RP	C B RP	C B RP	C B RP	C B RP
CEDAR	DARK CHERRY	DRIFTWOOD	ESPRESSO	SADDLE	
C B RP	C B RP	C RP	C RP	C RP	C RP
WHITE OAK	FIR	LIGHT ASH	PECAN	CYPRESS	DARK ASH
C RP	RP	C RP	C RP	C RP	C RP
TIGERWOOD	WALNUT	WILLOW	TEXTURED BLACK ONYX	TEXTURED COFFEE	TEXTURED ROSEWOOD
C RP	C RP	C RP	C RP	C RP	C RP
AURORA	NOVA	STARLIGHT	CHAMPAGNE WAVE	COPPER WAVE	SILVER WAVE
C RP	C RP	C RP	C RP	C RP	C RP
BRUSHED CARBON	BRUSHED GRAPHITE	AGED COPPER	CHAMPAGNE METALIC	COPPER PENNY	COSMIC
C RP	C RP	C RP	B RP	B RP	B RP
WEATHERED ZINC	DARK ZINC	SILVER METALIC	KNOTTY CHESTNUT	KNOTTY DESERT OAK	KNOTTY EBONY
B RP	B RP				
KNOTTY REDWOOD	KNOTTY TEAK				

C = Custom Length Program

B = 12' Box Program

RP = Random Plank, Privacy Fence & Folded Wall Program

SMOOTH V-GROOVE PANELS

4" V-Groove



6" V-Groove



4" & 6"
V-Groove
Available in
12' Box Program
for quick
pick-up!

SOFFIT PANELS

4" & 6"
V-Groove
Vented Soffit



Double 7



Double 7 Vented



RANDOM PLANK

The Random Plank wall cladding is a product of meticulous craftsmanship that joins together easily to form a sophisticated architectural panel.

The Random Plank can be created in any of the LUX colours. This product has been immensely successful in finding its place on contemporary residential, multi-unit residential and even as an indoor fireplace surround.



PRIVACY FENCE

The LUX Privacy Fence is a durable, easy to assemble, and waterproof privacy screen for commercial and residential applications. The posts are wrapped in LUX and the panels simply slide into place for easy installation.



FOLDED WALL

The LUX Folded Wall derives its name from the unique brake-forming process that's used to create it. With the use of a brake, the folded wall is accurately hand-made by our craftsmen to create a unique and beautifully folded sculptural panel that can be used as a feature accent, or to clad an entire building.





Steel is a low maintenance, stylish and durable choice!

Exceptional Beauty,
Unbeatable Strength

- Available in five different profiles: D4, D5, DL5, S8 and B&B
- 21 colours
- Matching Trims & Accessories
- Limited Lifetime Warranty on defects plus 50-year hail and 25-year chalk/fade

Premier Performance

FADE, FIRE AND IMPACT RESISTANT

- Exceptional colour retention
- Class A/Class 1 fire rating
- Tough against bumps and dents

IDEAL IN EXTREME WEATHER CONDITIONS

- Protected from harsh weather elements like hail or wind
- Does not absorb water like other cladding options
- Withstands extreme temperature changes

SUSTAINABLE STEEL

- We value the environment and strive to minimize our footprint
- Steel is 100% recyclable
- Made from approximately 50% recycled materials

BACKED BY AN INDUSTRY LEADING WARRANTY

- Instills peace of mind
- Limited Lifetime Warranty including 50-year hail and 35-year chalk and fade

D4H D5H D5DL S8H B&B White	D4H D5H D5DL S8H B&B Natural Slate	D4H D5H D5DL S8H B&B Charcoal Grey	D4H D5H D5DL S8H B&B Deep Granite	D4H D5H D5DL S8H B&B Quiet Willow	D4H D5H D5DL S8H B&B Musket Brown	D4H D5H D5DL S8H B&B Terra Bronze
D4H D5H D5DL S8H B&B Brandy Wood	D4H D5H D5DL S8H B&B Montana Suede	D4H D5H D5DL S8H B&B Pebblestone Clay	D4H D5H D5DL S8H B&B Rugged Canyon	D4H D5H D5DL S8H B&B Mahogany	D4H D5H D5DL S8H B&B Red Brick	D4H D5H D5DL S8H B&B Newport Bay
D4H D5H D5DL S8H B&B Dark Bronze	D4H D5H D5DL S8H B&B Jefferson Tan	D4H D5H D5DL S8H B&B Wicker	D4H D5H D5DL S8H B&B Almond	D4H D5H D5DL S8H B&B Cameo	D4H D5H D5DL S8H B&B Desert Sand	D4H D5H D5DL S8H B&B Musket Brown

D4H = Double 4" Horizontal
D5DL = Double 5" Dutchlap
B&B = Board & Batten

D5H = Double 5" Horizontal
S8H = Single 8" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

CERTIFICATE OF CONFORMANCE / WARRANTY

PRODUCT PHYSICALS			
TEST	STANDARD METHOD	UNITS OF MEASURE	RESULT
IZOD Impact (0°C/32°F)	ASTM D-256	ft/lb/in.	3.53
IZOD Impact (23°C/73°F)	ASTM D-256	ft/lb/in.	33.9
Tensile Strength	ASTM D-638	PSI	8200
Modulus of elasticity	ASTM D-638	PSI	370000
Deflection of temperature under load @ 264 PSI	ASTM D-648	°F	163
Coefficient of linear expansion	ASTM D-696	x10 ⁵ in./in./°F	4.3
Chemical Resistance	ASTM D-543		excellent
Cell classification	ASTM D-1784	class#	13544-B
FIRE RELATED PROPERTIES - PVC			
Flame spread index	ASTM E-84, UBC 42-1		18
Fuel contribution			0
Self ignition temperature, °F	ASTM D-1929, UBC 52-3		810
Smoke density rating (%)	ASTM D-2843, UBC 52-2		42.1
Maximum smoke density (%)			56.0
Visibility of exit sign			Good
Total burn time, seconds	ASTM D-635		<5
Extent of burning, mm			<5
SIDING/EXTRUDATE TYPICAL PHYSICAL PROPERTIES			
Impact Resistance (23°C/73°F)	ASTM D-4226	in-lb	>80
Low Temperature flexibility	CGSB41-GP-24Ma	% pass	>80
Shrinkage/reversion	ASTM D-1042	%	<3.0
Surface Distortion	CGSB41-GP-24Ma ASTM D-3679-02	°F	>131

CODES/STANDARDS - Mitten Vinyl Siding conforms and/or surpasses certification standards in many countries.

CANADA

CAN/CGSB-41.24.95
CCMC Acceptance No. 06419L

UNITED STATES OF AMERICA

ASTM 3679
UBC Standard 14-2
NES NER 528

AUSTRALIA

AS/NZ S4256 Type B

EUROPE

CE Certification

Warranty:

All Mitten Vinyl products are covered by a Lifetime Limited Warranty. See warranty or visit mittensiding.com for details and limitations.

NES Certification: Mitten has received confirmation by the National Evaluation Service, Inc. (NES) at nateval.org that its vinyl siding products comply with the exterior wall covering and wind resistance provisions of the three U.S. model building codes (BOCA National, ICBO Uniform and SBCCI Standard) in addition to the new 2000 International Building Code of the International Code Council. This confirmation, as evidenced in the NES evaluation report (NER-528), provides guidance to code officials faced with approving the use of Mitten vinyl siding under these codes.

VSI online at vinylsiding.org

Vinyl Siding Institute provides assurance to homeowners, remodelers, contractors, planners, code officials and architects regarding the quality of the vinyl siding they select and use. Vinyl siding, certified under the VSI Vinyl Siding Certification Program, has been independently verified by a third-party laboratory to meet or exceed ASTM D3679, the long-standing industry-wide standard for quality vinyl siding.

VSI Certified Siding Installer Program

VSI Certified Installer Program provides training and certification for vinyl siding installers and companies. For more information please visit vinylsiding.org.



COLOURMATCH



ALUMINUM

CANADA'S STRONGEST **ALUMINUM PROGRAM**

Ply Gem aluminum products make it easy to dress up any home or light commercial building. Each product in the collection - Soffit, Fascia, Accessories, Trim Coil - will look and perform beautifully for years to come. Aluminum Soffit and Accessories by Ply Gem offer an assortment of smooth styles as well as a selection of colours designed to match or complement Mitten vinyl siding.

Two-coat acrylic outlasts other finishes

- Corrosion-resistant primer provides superior holding power
- Extra tough acrylic top coat resists scratches and dirt
- Resists fading and weathering year after year

SCRATCH RESISTANCE



TWO-COAT ACRYLIC FINISH



ONE-COAT POLYESTER PAINT

Two-coat acrylic finish gives an ultra-thick surface that resists scrapes and scratches.

FADE RESISTANCE



TWO-COAT ACRYLIC FINISH



ONE-COAT POLYESTER PAINT

Two-coat acrylic finish has excellent colour retention and ensures a consistent look for years to come.



CORE COLOURS

Unmatched Quality

QUALITY RAW MATERIALS

- Meets or exceeds the highest aluminum specifications for grade, hardness and temper
- Highest tensile strength aluminum

PROPRIETARY FINISHING SYSTEM

- Five-stage cleaning process
- Corrosion-inhibiting primer
- Ultra-tough, low-mar topcoat
- Finish applied to both sides

DEMANDING QUALITY TESTING AND CONTROLS

- Paint thickness and consistency
- Paint adhesion
- Colour accuracy
- Maintain gloss
- Five flatness checks - prevents oil canning
- Retained shape - consistent shape of formed product
- Solvent resistant - prevents peeling, flaking and weather erosion
- Peak metal temperature - ensures full paint cure
- Three metal strength tests - ensures proper stiffness, bendability and impact resistance

TRIM COIL - Cuts Clean, Bends Sharp, Lays Flat



Ply Gem trim coil meets the highest aluminum specifications for grade, hardness, temper (flexibility) and gauge (thickness). Tension-leveled to create a dimensionally accurate product with uniform surfaces and excellent forming characteristics, Ply Gem trim coil is known for straight, consistent edges and an attractive finish.

- 24" x 98' (60cm x 30m) Heavy Trim Coil 1 side painted: .0205 gauge
- 24" x 98' (60cm x 30m) Heavy Trim Coil 2 sides painted: .0215 gauge

Available in our Core Colours and matched to Mitten Standard and Premium siding colours.


ALUMINUM



COLOURMATCH

ACCESSORIES


Ply Gem offers a complete line of colour-matched accessories that work in harmony with each product in our aluminum program. Our Starter Strip, J-channels and Drip Edge blend into the overall look and feel of your home.



Starter Strip



J-Channel



Drip Edge

See Matrix on pages 44 & 45 for complete product offering

SOFFIT & FASCIA

A COMPLEMENTARY FINISH

Ply Gem Aluminum Soffit & Fascia features a durable, virtually maintenance-free finish in a variety of styles. Venting options can help create positive air flow in the attic and rafters to help prevent moisture buildup. Add a lasting finishing touch to your soffit application with premium Aluminum Fascia. Both premium Aluminum Soffit and Fascia are available in a variety of styles and colours.



CORE COLOURS



QUAD 4 SOFFIT

- Available in Solid and Full Vent styles
- Full Vent offers 5.16" sq./in per lin/ft of net free air space



FASCIA

- Available in 6", 8", 8-1/2" and 10" widths
- Smooth or ribbed



RAINWARE



A Beautifully Defensive Solution

Ply Gem rainware products systematically provide years of lasting protection.

You will find a complete line of superior quality gutter coil, downspouts, elbows, corners, end caps, drip edge & gutter accessories to whisk away water.



Gutter Coil



Downspouts



Elbows

See Matrix on pages 44 & 45 for complete product offering



double pro™
MICROFILTRATION CONTINUOUS HANGER™



eclipse™ TECHNOLOGY
The double membrane keeps debris from getting inside the gutter. The offset holes make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.



vortex™ TECHNOLOGY
The suction created by the two membranes makes it possible to drain three times more water than ever recorded in the heaviest storms. The inner membrane draws water through the wider holes.

NOW AVAILABLE IN 6"





	t+rex®	gutter•clean®
Installs over existing gutters		✓
Installs over new gutters	✓	
Strengthens gutters so they can support 250 lbs per linear foot	✓	
Fastens gutters to the house	✓	
Replaces spikes and hangers	✓	
Protects gutters from leaves and debris	✓	✓
Can handle 29.7" (755mm) of water per hour	✓	✓
Reduces problems with ice and snow	✓	✓
No clog 40-year warranty	✓	✓
Lifetime warranty on material and sturdiness	✓	



Continuous hanger for new rain gutters



- Lifetime warranty
- Increased sturdiness along the entire length of the gutter
- Best protection against damages and water infiltration
- Available in Carbon Black



Protection for existing rain gutters

- 40-Year clog-free warranty
- Sturdy aluminum construction
- Prevent water infiltration

Guaranteed Effectiveness




Optimal Drainage



Unparalleled Protection



SHAKE & STONE



COLOURMATCH

MITTEN
BUILDING PRODUCTS

MITTEN COLOUR MATCHED 8' Shake



ROUGH SAWN 8' SHAKE

Shown in Yukon Grey

Length/Pc: 96.5" - 245.11 cm

Width/Pc: 8.5" - 21.59 cm

Panels/Ctn: 22

Coverage/Ctn: Approx. 1 square

Exclusive National Distributor

A low maintenance alternative to cedar shakes, at a fraction of the cost, with high attachment to vinyl siding

- Mix & Match with Mitten vinyl siding
- Naturally textured surfaces
- Staggered butt ends for realistic look
- Resists the effects of sun, heat and cold
- 26 of the most popular Mitten colours
- Corners & Half-Rounds also available



NovikShake NP

Shown in Rockaway Grey

NOVIK
SHAKES, STONE AND ACCENTS

NovikShake NP Northern Perfection

For the look of real cedar... with no upkeep!

- Mix & match with Mitten vinyl siding
- Realistic wood grain texture
- Complements all types of siding
- Impervious to moisture, will not rot, split or decay
- Lightweight yet rigid material
- Quick & easy to install
- Corners also available in matching colours
- Virtually maintenance free
- Certification: CCMC 13420-R

Northern Perfection Colours:



Length/Pc:

46.88" (119.06cm)


Width/Pc:

16.5" (41.91cm)

Panels/Ctn: 11

Coverage/Ctn:

48.84 sq. ft. (4.54 m²)



Due to the printing process colours may not be exactly as shown.

Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Please refer to page #46 in this Showcase for Mitten's Shake & Stone stocking matrix

SHAKE & STONE



SHAKES, STONE AND ACCENTS

NovikShake™ is a low maintenance alternative to cedar shakes, at a fraction of the cost

NovikShake RS8

ROUGH SAWN 8" SHAKE
Shown in Mitten Nickel



Length/Pc: 96.5" (245.11 cm)
Width/Pc: 8.5" (21.59 cm)
Panels/Ctn: 22 **Coverage/Ctn:** Approx. 1 square

NovikShake HS

HAND-SPLIT SHAKE
Shown in Novik Brownstone



Length/Pc: 48.38" (122.87 cm)
Width/Pc: 18.75" (47.63 cm)
Panels/Ctn: 9 **Coverage/Ctn:** Approx. 1/2 square

NovikShake RS

ROUGH SAWN SHAKE
Shown in Novik Windsor Blue



Length/Pc: 48.75" (123.83 cm)
Width/Pc: 14.5" (36.83 cm)
Panels/Ctn: 12 **Coverage/Ctn:** Approx. 1/2 square

NovikShake HR

HALF-ROUND
Shown in Mitten Brownstone



Length/Pc: 32" (81.3 cm)
Width/Pc: 10" (25.4 cm)
Panels/Ctn: 22 **Coverage/Ctn:** Approx. 1/3 square

- Made in Canada
- Exclusive National Distributor
- Accessories available in matching colours
- Seamless joints
- No painting, staining or caulking required
- Lightweight yet rigid material
- Fast fit™ features that simplify installation
- Impervious to moisture, can be installed right up to the roof line
- Hail resistant
- Resistant to warping, expansion, contraction and cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime limited warranty



SHAKES, STONE AND ACCENTS

NovikStone™ products bring the timeless beauty of masonry, from rustic charm to modern appeal while adding performance and durability that is simply unmatched

NovikStone DS

CARRARA COLLECTION - Shown in Grigio



Length/Pc: 41.5" (105.41 cm)
Width/Pc: 13.13" (33.34 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square

NovikStone

ARTISAN CUT - Shown in Castle



Length/Pc: 45" (114.3 cm)
Width/Pc: 20.25" (51.44 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square

NovikStone DS

DRY STACK STONE - Shown in Anthracite



Length/Pc: 41.5" (105.41 cm)
Width/Pc: 13.13" (33.34 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/4 square

NovikStone SK

STACKED STONE - Shown in Smoke Gray



Length/Pc: 45" (114.3 cm)
Width/Pc: 20.25" (51.44 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square

NovikStone PHC

PREMIUM HAND-CUT STONE
Shown in Misty Beige



Length/Pc: 48" (121.92 cm)
Width/Pc: 18.5" (47 cm)
Panels/Ctn: 9 **Coverage/Ctn:** Approx. 1/2 square



















NovikStone FS

FIELDSTONE
Shown in Rocky Mountain



Length/Pc: 50" (127 cm)
Width/Pc: 19.13" (48.58 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square

NovikShake™ Colour Chart

Stain Natural Colour Collection						
Colour Chips	#	Colour	RS8	RS	HS	HR
	301	Oak	•			
	303	Walnut	•			
	304	Teak	•			
	305	Ebony	•			
	306	Sequoia	•			
Blended Colour Collection						
Colour Chips	#	Colour	RS8	RS	HS	HR
	201	Weathered Blend	•	•	•	
	202	Cedar Blend	•	•	•	
	208	Canyon Blend	•	•	•	
	209	Desert Blend			•	
	229	Basalt	•	•	•	
	231	Brownstone	•	•	•	
	233	Anthracite	•	•	•	
Solid Colour Collection						
Colour Chips	#	Colour	RS8	RS	HS	HR
	001	White	•	•	•	•
	063	Heritage Gray	•	•	•	•
	064	Sandstone	•	•		•
	486	Windsor Blue*	•	•	•	•
	487	Brunswick Green*	•	•	•	•
	485	Coventry Gray*	•	•	•	•

NovikShake Legend

RS8 - Rough Sawn 8' Shake

RS - Rough Sawn Shake

HS - Hand Split Shake

HR - Half Round

* New for 2021

NovikStone™ Colour Chart

Colour Chips	#	Colour	DS	SK	PHC	FS	AC	CC	Novik Trim
	262	Castle						•	Canyon Blend #208
	263	Latte						•	Weathered Blend #201
	1000	Grigio						•	Heritage Gray #063
	229	Basalt	•						Canyon Blend #208
	231	Brownstone	•						Cedar Blend #202
	233	Anthracite	•						Onyx #223
	234	Travertine	•						Heritage Gray #063
	235	Limestone	•						Weathered Blend #201
	236	Lava	•						Onyx #223
	237	Flint	•						Gray Black Blend #206
	216	Aspen		•					Weathered Blend #201
	217	Smoke Gray		•					Weathered Blend #201
	218	Moka		•					Weathered Blend #201
	219	Terra		•					Terra #219
	223	Onyx	•	•	•				Onyx #223
	224	Sand Blend		•					Sand Blend #224
	225	Smoke White				•			Weathered Blend #201
	226	Shadow Gray				•			Gray Black Blend #206
	227	Misty Beige				•			Cedar Blend #202
	238	Grand Canyon					•		Gray Mortar #681
	240	Adirondacks					•		Gray Mortar #681
	242	Rocky Mountains					•		Gray Mortar #681

NovikStone Legend

DS - Dry Stack Stone

SK - Stacked Stone

PHC - Premium Hand-cut Stone

FS - Fieldstone

AC - Artisan Cut

CC - Carrara Collection



FOUNDRY SHAKE

- Easy to install as an accent or on large coverage areas
- Cast in real cedar molds creating extraordinary authenticity
- Available in a wide range of colours including The Foundry Weathered Collection and a match to Mitten vinyl colours



7" Split Shake

Shown in Lite Khaki


Length/Pc:
60.75" 1.54m
Width/Pc:
7" 17.78cm
Panels/Ctn:
34
Coverage/Ctn:
100 sq. ft. 9.29 m²
Nominal Thickness:
0.45" 1.14mm



7" Staggered Shake

Shown in Red Cedar

Length/Pc:
60.75" 1.54m
Width/Pc:
7" 17.78cm
Panels/Ctn:
17
Coverage/Ctn:
50 sq. ft. 4.65 m²
Nominal Thickness:
0.50" 1.27mm



10" Staggered Shake

Shown in Russet

Length/Pc:
62.5" 1.59m
Width/Pc:
10" 25.4cm
Panels/Ctn:
23
Coverage/Ctn:
100 sq. ft. 9.29 m²
Nominal Thickness:
0.50" 1.27mm



CLIPSTONE™

ClipStone is an innovative, easy to install stone veneer. With simple common tools, you can turn a plain boring wall into an eye-catching, professional-looking stone wall.

Because these are individual stones, you will enjoy added design flexibility - and no more obvious long seams that are the result of many stone panels on the market today.

ClipStone goes up one at a time, just like traditional stone installed by a professional mason. Except you don't need the mason!

Easy to Install

- No masonry skills required
- No special tools needed
- No foundation required
- Lightweight, mechanical fastening system
- No mortar, no mess
- No metal lath required
- No need to find studs when properly installed according to installation instructions
- Can be installed in all weather conditions
- Easy cleanup

Worry Free

- Durable Product
- Requires no maintenance
- No sealing, painting or cleaning required
- Backed by a 50-Year Limited Product Warranty



Great Performance

- Built-in, patented water management system
- Significant air circulation behind the stone veneer
- Overlapping stone edges minimize gaps between stones
- Starter strip has built-in weep flashing
- Universal corners can be used in either direction
- Corners are available in all styles and colours

Universal corner



ProStack Sizes

ProStack flats: 4" tall pieces with lengths from 8", 12" and 16"
ProStack corner pieces: 8" - 10"

Ledgestone Sizes


Ledgestone flats: 4" tall pieces with lengths from 6" up to 17"
Ledgestone corner pieces: 8" - 10"



Osceola ProStack




Teton Grey ProStack



Black Creek ProStack



Black Rundle ProStack



Poinset ProStack



Willow Peak Ledgestone



Mounting clips are embedded within ClipStone so you can securely install onto the wall without the need to hit a stud when properly installed according to installation instructions

Stocked Accessories available in 4 colours



Cream



Smoke



Black



Light Grey

SHAKE & STONE



GenStone®

The Beauty of Stone Made Easy

- Exclusive distributor in Canada
- Dimpled backing eliminates need for strapping
- Appearance of real masonry at a fraction of the cost
- Available in smaller pack sizes (6 panels per carton)
- Ideal for any project as there is no need for structural modifications to the foundation
- Simple, mortarless installation with four patterns for an authentic finish
- 25-year limited warranty
- CCMC# 13692-R

GenStone Stacked Stone



Kenai



Coffee



Desert Sunrise



Keystone



Iron Ore



Stratford

Length/Pc: 46" (1.17m) **Width/Pc:** 11" (27.94cm)

TRIMS & ACCESSORIES



Inside Corner



Pillar



Corner



Panel



Left & Right
Corner Panels



Corner Ledger



Peaked



Flat

Pillar Caps



Ledger




Trim




VERSETTA STONE®

The beauty of stone,
the simplicity of siding.


- Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in rain screen
- Pre-drilled weep holes allow water to escape
- Can be installed in any weather conditions
- Indoor/Outdoor application
- **110 MPH** Wind Resistance
- **60-Year** Corrosion Resistant Nailing Flange
- **50-Year** Transferable Warranty
- Class A Fire Rating
- ICC Evaluation Service Report ESR-2859




TERRA ROSA




STERLING



SAND



PLUM CREEK



NORTHERN ASH



MISSION POINT

UNIVERSAL CORNER



The Universal Corner panels are the same size and shape as Flat panels but have finished ends. Universal Corner panels fit neatly with Flat panels and are designed for use on end wall terminations and for inside and outside corners.

FLAT PANEL



The main component of the Boral Versetta Stone® system, the Flat panel covers two square feet and weighs approximately 17 lbs. Each panel is embedded with a G-90 galvanized nailing flange that allows for easy installation with mechanical fasteners. The built-in rain screen and other moisture management features ensure proper water drainage.


PANEL DIMENSIONS

Height: 8" Length/Pc: 36"

Note: Each panel covers 2 sq. ft.

LEDGESTONE - The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.


THE VERSETTA STONE® SYSTEM



Universal Corner



Flat Panel



J-Channel



Starter Strip



Wainscot Cap



Light Box



Receptacle Box



Trim Stone



Vinyl Windows



- Designs made for the various architectural style of your home
- Dual and triple-glazed insulated glass

Clad Vinyl Windows



- Durable Aluminum exterior
- Low-maintenance Vinyl interior
- Double & Triple-glazed insulated glass

Clad Wood Windows



- Durable Aluminum exterior
- Wood interior
- Double & Triple-glazed insulated glass

Design Arch Windows



- Durable Aluminum exterior
- Stylish Aluminum interior
- Double & Triple-glazed insulated glass

Introducing FUSION COLOUR WRAP™

A new cost effective solution to add colour to vinyl windows and sliding patio doors

Features and Benefits

- Multi-layered film is applied to vinyl using polyurethane reactive hot melt to create permanent bond between wrap and vinyl
- Easily withstands the most extreme heat and cold conditions
- Extremely resistant to scratches and abrasions
- Unaffected by environmental pollutants
- Performs well in sea-side applications
- Dirt and grime are easily cleaned away using normal mild household cleaners





Fiberglass Woodgrain Entry Doors

- The beauty of traditional woodgrain doors
- Will not warp, rot or rust
- Four woodgrain patterns to choose from
- Can be stained or painted to complement your home's colour scheme
- Compression molded for high impact strength



Fiberglass Smooth Entry Doors

- Smooth fiberglass door holds paint better than traditional wood doors
- Will not warp, rot or rust
- More durable than wood
- Insulates up to six times better than wood doors
- A variety of flush and embossed panels available, many with glass options



Steel Smooth Entry Doors

- One of the most secure entry doors you can buy
- The steel skin prevents rotting, swelling and cracking
- Does not absorb moisture like wood so it holds paint longer for a bright entrance
- Helps insulate from heat, cold and outside noise

Patio Doors Sliding and Swinging



- Multiple sliding patio doors to choose from, designed to coordinate with our windows
- Patio doors made to match your windows
- Hybrid aluminum clad vinyl doors have colourful and durable aluminum-cladding on the outside
- Interiors are fine grain textured wood which can be stained or painted to match your decor
- Inswing or outswing styles are available



Storm Doors Aluminum or Vinyl

- Let in natural light and ventilation
- Provides protection from the elements
- Available in many styles from classic to modern in a variety of colours
- Comes with a retractable screen and locking lever handles

Ply Gem Products are:


Energy efficient to save on heating & cooling costs: In an average building, up to 40% of heat loss is due to old windows that are not airtight. When it comes to energy efficiency, Ply Gem is the leader in offering a wide variety of frame, sash and glass options.

Durable and long lasting: Ply Gem stands for quality products built to the tough standards of an industry leader. Cladding options in vinyl, aluminum and wood offer you the choice of long lasting windows & doors designed to perform in the tough Canadian climate.

Made in Canada: Ply Gem windows & doors are subject to the strict quality criteria prevailing in Canada.

Backed by superior service: The Ply Gem dealer network provides consistent installation practices with excellent on-site support. Ply Gem dealers offer premium service — both before and after the purchase.

Ply Gem Canada Windows are ENERGY STAR certified



COLOURMATCH



Universal J-Block® Square Mounting Block

The J-Block® is designed to easily & attractively mount light fixtures & receptacles. Also offered in Scroll Cut.

SURFACE DIMENSIONS:	5" x 6"
FLANGE DIMENSIONS:	7-1/2" x 8-1/2"
J-CHANNEL I.D.:	1/2" adjusts to 1-1/4"
KNOCKOUTS:	Round: 4" Diameter Rectangle: 2-3/8" x 3-3/4"



Universal Large J-Block® Mounting Block

The Large J-Block® is designed to mount large light fixtures, house numbers & mailboxes. Also offered in Scroll Cut.

SURFACE DIMENSIONS:	6" x 10-1/8"
FLANGE DIMENSIONS:	8-5/8" x 12-7/8"
J-CHANNEL I.D.:	1/2" adjusts to 1-1/4"
KNOCKOUTS:	Rectangle: 2-1/8" x 4-1/8"



UL Mounting Block

The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets.

SURFACE DIMENSIONS:	5" x 6"
FLANGE DIMENSIONS:	7" x 8"
J-CHANNEL I.D.:	5/8" adjusts to 1-1/4"
KNOCKOUTS:	NA



Split Recessed J-Block® Mounting Block

The Split Recessed J-Block® has a patented hinge that allows for ease of installation.

SURFACE DIMENSIONS:	5-5/8" x 7-3/8"
FLANGE DIMENSIONS:	6" x 7-1/2"
J-CHANNEL I.D.:	1/2" adjusts to 1-1/4"
KNOCKOUTS:	Rectangle: 2-1/4" x 3-7/8"



Mini J-Block® Mounting Block

The Mini J-Block® mounting block mounts small accessories such as doorbells and electrical outlet receptacles.

SURFACE DIMENSIONS:	6" x 4-3/8"
FLANGE DIMENSIONS:	6-7/8" x 5-1/4"
J-CHANNEL I.D.:	1/2" adjusts to 1-1/4"
KNOCKOUTS:	Round: 1-1/8" Diameter Rectangle: 2-3/8" x 3-3/4"



E-Z Block Surface Mounting Block

The one-piece design can be used after siding installation to mount all types of accessories.

SURFACE DIMENSIONS:	6-3/4" x 6-3/4" - Projection: 3/4"
FLANGE DIMENSIONS:	NA
J-CHANNEL I.D.:	NA
KNOCKOUTS:	Round: 1" Diameter Rectangle: 2-3/8" x 3-3/4"



Meter Base Mounting Block

The Meter Base Mounting Block mounts large accessories such as hose racks and electric meter bases.

SURFACE DIMENSIONS:	16-1/2" x 15-1/2"
FLANGE DIMENSIONS:	18-1/2" x 16-3/4"
J-CHANNEL I.D.:	1-1/4"
KNOCKOUTS:	NA




COLOURMATCH



Foundation Vent

The Foundation Vent is used to ventilate crawl space areas.


SURFACE DIMENSIONS:	8-3/4" x 17"
FLANGE DIMENSIONS:	9-1/2" x 18-1/4"
J-CHANNEL I.D.:	3/4" adjusts to 1-1/4"
NET FREE AREA:	50 sq in



Louvered Exhaust Vent

Louvered Exhaust Vent is used to vent dryers and bathroom exhaust fans.


4" = 7" x 7"	6" = 9" x 9"
4" = 8-1/2" X 7-1/2"	6" = 9-1/2" X 10-3/8"
3/4" adjusts to 1-1/4"	3/4" adjusts to 1-1/4"
4" = 9.2 sq in	6" = 17.6 sq in



Hooded Exhaust Vent

The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals out.

6-7/8" x 6-7/8"
6-5/8" x 5-5/8" Neutral Base
3/4" adjusts to 1-1/4"
NA









Gable Vent Base installed with siding

Gable Vent Cap installed with siding



- Gable Vents are available in round, square, octagonal, half-round and rectangular sizes
- Ply Gem's two-piece gable vent system is fully compatible with all siding profiles
- Simply install a base when installing the siding, then snap on the cover later
- Rectangular bases, instead of round, make siding cuts easier
- Available in Mitten Standard & Premium vinyl siding colours
- Paintable version available
- Adjustable 5/8" - 1-1/4" for use with all siding styles


ROUND DESIGN	ROUND TOP DESIGN	HALF-ROUND DESIGN	RECTANGULAR DESIGN		OCTAGONAL DESIGN		SQUARE DESIGN
SIZE:							
18"	14" x 22"	34" x 22"	14" x 20"	18" x 24"	18"	22"	14" x 14"
VENTILATED OPENING:							
10" x 12-1/2"	10" x 12-1/2"	20" x 16"	10-1/2" x 15"	16" x 20"	10" x 12-1/2"	10-1/2" x 15"	10" x 12-1/2"
OUTSIDE UNIT DIMENSIONS:							
18"	14" x 22"	34" x 22"	14" x 20"	18" x 24"	18"	22"	14" x 14"
NET FREE AREA (sq in):							
48.36	53.17	80.46	23.29	92.88	49.72	48.5	33.59





Ply Gem PVC Trim

PVC does not absorb water, so it won't rot, warp or split. PVC trim board can be cut, drilled and routed like wood. You can even install them to grade or against concrete.




Trim Boards

PVC trim board can be cut, drilled & routed like wood. These are also available as sheets (smooth/smooth or woodgrain/smooth) or as notched bead board. They can be used for fascia, frieze boards, window and door trim, deck edging, and decorative accents.



Skirt Boards

PVC skirt boards provide the finishing touch without the worries of water damage. The sloped top drains water away from the house, making it the ideal border for fiber cement and other composite siding materials. Available in smooth or woodgrain.



Mouldings

Mouldings are a long-lasting alternative to wood accent trim and are available in shapes that enhance any home's style, in gables around windows and doors, or wherever you desire. Drip Cap, Shingle Mould, Rams Crown, Bead Board, Inside Corner, Historic Sill and Brick Mould are all available.




Corners

One-piece outside corners provide a square edge with no unsightly, rough seams. Available in smooth or woodgrain finish.

Withstands the elements



WOOD




WOOD

Because Ply Gem trim does not absorb moisture, it won't rot, split or warp like wood. It also does not attract termites or other insects.

Won't split, crack or peel



FIBER CEMENT



PVC TRIM

PVC trim won't split or crack, and doesn't require sealing against moisture. It holds paint better and longer than wood, so you don't have to worry about paint peeling.

Easy to install



PVC TRIM



PVC TRIM

Notched corners make it easier to install and eliminates the need for a J-channel. It cuts and saws like wood, and can be installed in natural white or painted.



SHAKES, STONE AND ACCENTS

- Quick & easy installation on any surface
- Linear system adjustable to the nearest 1/4" (0.64 cm) to fit the exact length of your window
- Resistance to discolouration (UV rays)
- Virtually maintenance-free
- Extreme temperature variation resistance

Louvered sizes:

- Widths: 12" (30.5 cm) or 14" (35.6 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)


Raised Panel sizes:

- Widths: 12" (30.5 cm) or 14.5" (36.8 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)


Standard Colours:




White



Black



Charcoal



Dark Blue



Burnished Slate



Heritage Brown



Imperial
Manufacturing Group™



Aluminum Railing & Columns

Dramatically enhance the appearance and functionality of any home with high quality aluminum railing and columns. Durable, low maintenance option that will not crack, chip, warp, rot, or peel.

Imperial Aluminum Columns

*Square Flat Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

*Square Recessed Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

***Available in White or Black** (Black available in 108" or 144" Heights)

5000 Series Railing

- Pre-assembled up to 13' in length
- Heights: 32", 36" & 42"
- Spindle sizes: 1/2" x 3/4", 3/4" x 3/4" & 3/4" x 1"
- Post sizes: 2" x 2" & 3" x 3"

Legacy Series Railing

- Boxed ready to assemble system
- Lengths: 46", 59" & 72"
- Heights: 36", 42" & 48"
- Box includes top & bottom rails, spindles, spacer clips, spindle attachment, peg leg support & fastening hardware

Colours

White	Clay	Charcoal Grey	Warm Beige	Black	Commercial Brown

NOTE: *Grey & Commercial Brown only available in 5000 Series Railing
*Legacy Series only available in Black & White

ALPA
OUTDOOR PRODUCTS
Beautifying Home Exteriors

Vinyl Fence, Railing & Columns

Alpa Outdoor Products provide an easy to install, low-maintenance option to enhance the curb appeal of any home.



1400 Classic Series Railing

- 2-7/8" Wide Handrail
- 1-3/8" Balusters
- 4"x4" Posts
- Hidden hardware system
- Pre-assembled up to 7' 6" max. rail span
- Meets Part 3 and Part 9 of Ontario and National Building Code

1403 Builder Series Railing

- 2-1/8" Handrail
- 1-3/8" Balusters
- 3"x3" Posts
- Hidden hardware system
- Pre-assembled up to 7' max. rail span
- Meets Part 9 of Ontario and National Building Code

Vinyl Fence

- Section Sizes: 4' x 6' & 6' x 6'
- Post Size: 4" x 4" x 78"
- 12 different styles available
- Fence panels arrive fully assembled
- Fence gates are reinforced with steel inserts for added strength & protection

Colours

White	Clay
Tan	Cashmere

Vinyl Columns

Square & Round Columns*

- Widths: 8" & 9"
- Heights: 6', 8', 9', 10' & 12'

Split Square Columns

- Sizes: 8" x 6", 8" x 8", 8" x 9", 8" x 10", 8" x 12"

*9" Column width available in square only



DuPont™
Flashing Systems

DUPONT® Tyvek Homewrap & Flashing

- Customize with your company logo (minimum 1 pallet)
- Unique non-woven, non-perforated house wrap
- Prevents air and water infiltration
- Allows water vapour to escape to prevent mold and water damage
- Butyl-backed flashing requires no fasteners
- Protects window and door sill from water damage



HOMEGUARD™ Titan House Wrap

- Customize with your company logo (minimum 1 pallet)
- CCMC Certified - Air barrier and sheathing membrane
- Reduces energy bills in both winter and summer
- Built in drainage planes, protect the home from mold and other moisture related problems
- Lifetime Warranty (UV Resistant 120 days)

Insulation, Sealants & Foams



Professional solutions to tighten the building envelope and reduce:

- Air leakage & infiltration
- Moisture entry points
- Thermal bridging
- Energy loss
- Heating & cooling costs
- Outside noise transmission



KOP-R-LASTIC

MITTEN BUILDING PRODUCTS LEVELWALL



TOOLS & EQUIPMENT

BENDING EQUIPMENT, SCAFFOLDING, LADDERS & HAND TOOLS



Ask us about our wide selection of finishing solutions for all your exterior projects.

We have the right tool for every job!

- Gutter Systems
- Tools
- Scaffolding
- Ladders
- Bending Equipment
- Colour Matched to Ply Gem Aluminum Trim Nails
- Cortex Screws
- Roofing Nails

ALUM-A-POLE®



Malco®

Tapco integrated tool systems

Van Mark
The Mark of Quality

PROJECT CHECKLIST

Use this form to plan your project and ensure that you're prepared to start your job!

PRODUCT	SIZE	QTY
---------	------	-----

VINYL SIDING	Sentry	D4	
		D4.5	
		B&B	
	Highland	D4	
		D4.5	
		D4.5D	
		D5	
		D5D	
		T3	
	Oregon Pride	D4	
		D4D	
		D4.5	
		D4.5D	
		D5D	

VINYL ACCESSORIES	Starter Strip	12'	
	Galvanized Starter Strip	9'-10"	
	J-Channel - 1/2"	12'	
	J-Channel - 5/8"	12'	
	J-Channel - 7/8"	12'	
	F-Channel - 1/2"	12'	
	Finish Trim	12'	
	H-Trim	12'	
	Belt Line	12'	
	Drip Cap	12'	
	Window Casing Trim	12'	
	Window & Door Trim - Recessed	12'	
	Window & Door Trim - 3.5"	12'	
	Inside Corner	10'	
	Outside Corner - 3"	10'	
	Outside Corner - 3"	12'	
	Outside Corner - 5.5" Traditional	20'	
	Outside Corner - 5.5" Fluted	20'	

PRODUCT	SIZE	QTY
---------	------	-----

VINYL SOFFIT	Equinox T3-1/3"	12'	
	Triple 4"	12'	
	Double 5"	12'	
	Beaded 7"	12'	
	Jamb-Fit 8"	12'6"	
	Jamb-Fit 16"	12'6"	
	Pleasant View Skirting	12'	


BUILDING ENVELOPE	Roofing Nails		
	Caulking		
	Blocks & Vents		
	Window & Door Flashing		
	Housewrap		
	Roofing Paper		

TOOLS & EQUIPMENT	Snap Lock Punch		
	Nail Slot Punch		
	Unlocking Tool		
	Tin Snips		
	Power Saw		
	Chalk Line		
	Utility Knife		

COLOUR MATCH	Ply Gem Blocks & Vents		
	Mitten Colour Matched 8' Shake		
	NovikShake NP Northern Perfection		
	Aluminum Trim Coil		
	Aluminum Soffit		
	Aluminum Fascia		
	Aluminum Gutter Coil		
	Aluminum Downspouts and Elbows		

BRANCH LOCATIONS

Please call **1.888.MITTEN4**
(1.888.648.8364) to contact
the closest branch location



WESTERN REGION

- | | | | | | |
|--|--|---|--|--|--|
| 1. VICTORIA
#149-2745 Veterans Memorial Pkwy., Langford, BC V9B 0H4
P: 236.464.1749 | 2. KELOWNA
340 Old Vernon Road Kelowna, BC V1X 4R2
P: 250.868.9006 | 3. LANGLEY
20215-97th Ave, Unit #1 Langley, BC V1M 4B9
P: 778.383.1060 | 4. PRINCE GEORGE
101 1596 Quin Street S Prince George, BC V2N 1X4
P: 250.564.7888 | 5. RICHMOND
#178 - 21300 Gordon Way Richmond, BC V6W 1M2
P: 604.270.1488 | 6. CALGARY (Siding)
2008 - 48 Street SE Calgary, AB T2B 2E5
P: 403.253.1988 |
| 8. EDMONTON (Windows)
18703 111 Avenue NW Edmonton, AB T5S 2X4
P: 780.451.2590 | 9. EDMONTON (Siding)
8412 Davies Rd. Edmonton, AB T6E 4Y5
P: 780.468.5222 | 10. GRANDE PRAIRIE
6901 98 Street Clairmont, AB T8X 5A1
P: 780.532.7534 | 11. RED DEER
#8 - 4622 61 Street Red Deer, AB T4N 2R2
P: 403.346.5189 | 12. LETHBRIDGE
#10 - 3004 9 Avenue N Lethbridge, AB T1H 5E5
P: 403.327.7281 | 13. MEDICINE HAT
1887 6 Avenue SW Medicine Hat, AB T1A 8C3
P: 403.526.2520 |
| 14. REGINA
106 Leonard Street N Regina, SK S4N 5V7
P: 306.352.2399
P: 306.545.7635 | 15. SASKATOON
#102-815 66th Street E Saskatoon, SK S7P 0E6
P: 306.374.6166
P: 306.244.5777 | 16. WINNIPEG
Unit 10 - 127 Mountain View Rd. Winnipeg, MB R0C 3A0
P: 204.421.9160
P: 204.774.1580 | | | |

ONTARIO REGION

- | | | | |
|---|---|--|--|
| 18. BRANTFORD
5A - 225 Henry St. Brantford, ON N3S 7R4
P: 519.753.1810 | 19. LONDON
3969 Commerce Rd. Unit # 2 London, ON N6N 1P5
P: 519.644.2675 | 20. WHITBY
Unit 3 - 185 William Smith Dr Whitby, ON L1N 0A3
P: 647.725.0734 | 21. OTTAWA
2320 St Laurent Boulevard Ottawa, ON K1G 6C4
P: 800.267.1550 |
|---|---|--|--|

QUEBEC REGION

- | | | |
|--|---|--|
| 22. REPENTIGNY
436 Rue St-Paul Repentigny, QC J5Z 4H9
P: 514.352.9555 | 23. ST-HUBERT
3405, 1ère Rue St-Hubert, QC J3Y 8Y6
P: 438.289.1901 | 24. LEVIS
795 rue J. Ambroise-Craig Levis, QC G7A 2N2
T: 877.568.3132 |
|--|---|--|

ATLANTIC REGION

- | | | | |
|--|--|--|--|
| 25. FREDERICTON
20 Casewood Dr. Fredericton, NB E3C 2L5
P: 506.453.0888 | 26. MONCTON
215 English Dr. Moncton, NB E1E 3Y8
P: 506.858.8824 | 27. DARTMOUTH
19 Gurholt Drive. Dartmouth, NS B3B 1J8
P: 902.468.3363 | 28. MOUNT PEARL
47 Clyde Ave. Mount Pearl, NL A1N 4R8
P: 709.368.4001 |
|--|--|--|--|

2021 VINYL COLOUR MATRIX

RUSTIC

	Sentry®	D4" Horizontal	D4.5" Dutchlap	Board & Batten	Highland™	D4" Horizontal	D4.5" Horizontal	D4.5" Dutchlap	D5" Horizontal	D5" Dutchlap	T3" Horizontal	Oregon Pride®	D4" Horizontal	D4" Dutchlap	D4.5" Horizontal	D4.5" Dutchlap	D5" Dutchlap	D5" Vertical	D5" Soffit	Vertical Solid	Perforated FV	T4" Soffit	Solid/Perforated. FV	Lanced, Lanced FV & Perf. CV	Pleasant View Skirting	Triple 4" Skirting, Plain & Vented	Front, Back & Bottom Trims
Burnt Sienna	●	●	●	●																							
Farmhouse	●	●	●	●																							
Arctic Grey	●	●	●	●																							
Hemlock	●	●	●	●																							

BOLD PREMIUM


Huron Blue	●	●	●	●																							
Yukon Grey	●	●	●	●																							
Burnt Orange	●	●	●	●																							
Lighthouse Red	●	●	●	●																							
Richmond Red	●	●	●	●																							
Eggplant	●	●	●	●																							
Khaki Brown	●	●	●	●		●		●		●	●																
Caribou Brown	●	●	●	●																							
Chestnut Brown	●	●	●	●																							
Coffee Bean	●	●	●	●																							
Timber Bark	●	●	●	●																							
Rockaway Grey	●	●	●	●		●		●		●	●																
Gunmetal Grey	●	●	●	●																							
Sapphire Blue	●	●	●	●																							
Regatta Blue	●	●	●	●																							
Annapolis Blue	●	●	●	●																							
Muskoka Green	●	●	●	●																							
Grenadier Green	●	●	●	●		●		●		●	●																
Aviator Green	●	●	●	●																							

NATURAL STANDARD

Frost	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bone	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Ivory	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lite Maple	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Saffron	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sandcastle	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sandalwood	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hearthstone	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Ash	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Clay	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Brownstone	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Satin Grey	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Flagstone	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Indigo	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Stratus	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Nickel	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sage	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cypress	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Musket Brown	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Black	●	●	●		●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

† Musket Brown is only available in T4 Full Perforated Vent.


RUSTIC






BOLD PREMIUM



NATURAL STANDARD



Trims & Accessories



* Black Soffit is only available in T4 Perforated Full, Centre Vent and Solid. Panels & trims are for Soffit use only.

2021 ALUMINUM COLOUR MATRIX

CORE COLOURS

Item Description		24" x 30M Heavy Trim Coil Smooth 1sp	24" x 30M Heavy Trim Coil Smooth 2sp	Quad 4" Soffit Full Vent	Quad 4" Soffit Solid	1/2" J-Channel	Gable Trim	Drip Cap 1 3/8" x 1"	Drip Cap 1 3/8" x 2" HB	Drip Cap 1 7/8" x 3" HB	Starter Strip - 2 1/8" Galvanized	Starter Strip - 3 1/2" Galvanized	10" L-Style Ribbed Fascia	6" Ribbed Fascia	8" Ribbed Fascia	6" Smooth Fascia	8" Smooth Fascia
Mill Finish #000											●	●					
White 30D #111																	
White #001		●	●	●	●	●	●	●	●	●			●	●	●	●	●
Ice White #118		●															
Bone #010			●	●	●	●	●	●						●	●	●	●
Ivory #005			●	●	●	●	●	●						●	●	●	●
Champagne #060			●	●	●	●	●	●						●	●	●	●
Hearthstone #049			●	●	●	●	●	●					●	●	●	●	●
Brownstone #011			●	●	●	●	●	●					●	●	●	●	●
Khaki Brown #063			●	●	●	●	●	●						●	●	●	●
Terratone #104			●	●	●	●	●	●					●	●	●	●	●
Rockaway Grey #0M0			●	●	●	●	●	●						●	●	●	●
Musket Brown #073			●	●	●	●	●	●						●	●	●	●
Royal Brown #177			●	●	●	●	●	●						●	●	●	●
Flagstone #023			●	●	●	●	●	●						●	●	●	●
Stratus #054			●	●	●	●	●	●						●	●	●	●
Slate #006			●	●	●	●	●	●						●	●	●	●
Dark Bronze #108			●	●	●	●	●	●						●	●	●	●
Iron Ore #189			●	●	●	●	●	●						●	●	●	●
Black #125		●	●	●	●	●	●	●	●	●			●	●	●	●	●

TRIM COILS AVAILABLE IN ALL MITTEN VINYL COLOURS

ClipStone Colours

[illegible]






46

EXTERIOR BUILDING SOLUTIONS



MITTEN®

BUILDING PRODUCTS



Mitten and its Allied product partners make every reasonable effort to ensure the accuracy of the information provided. As information continually changes throughout the day-to-day course of our business, Mitten and its partners reserve the right at any time to change or update this information without notice and make no warranties or representation to its accuracy.



Authorized Dealer/Distributor

MIT - 01/21 49-809-000-00 West

MITTEN®

BUILDING PRODUCTS

Part of the Cornerstone Building Brands Family

5A - 225 HENRY STREET • BRANTFORD, ONTARIO N3S 7R4
800.265.0774 (T) • 866.257.2168 (F) • MITTENSIDING.COM

