

MITTEN[®]
BUILDING PRODUCTS

OREGON PRIDE[®]
40 SERIES VINYL SIDING



MITTEN[®]
BUILDING PRODUCTS





Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Brownstone


Performance Features:

-  COLOUR MATCHED ALUMINUM & ACCESSORIES
-  CLASSIC .040" THICKNESS
-  HURRICANE FORCE WIND SPEED RATED
-  CONTOURED LOCK SYSTEM
-  ROLL-OVER NAIL HEM
-  LOW GLOSS COLOUR-RICH FINISH
-  LIFETIME COLOUR FADE PROTECTION
-  LIMITED LIFETIME WARRANTY

Natural Standard Colours:

D4H D4DL D4.5H D4.5DL D5DL D5V Frost	D4H D4DL D4.5H D4.5DL D5DL D5V Bone	D4H D4DL D4.5H D4.5DL D5DL D5V Ivory	D4H D4DL D4.5H D4.5DL D5DL D5V Cypress	D4H D4DL D4.5H D4.5DL D5DL D5V Stratus	D4H D4DL D4.5H D4.5DL D5DL D5V Flagstone	D4H D4DL D4.5H D4.5DL D5DL D5V Brownstone
D4H D4DL D4.5H D4.5DL D5DL D5V Clay	D4H D4DL D4.5H D4.5DL D5DL D5V Hearthstone	D4H D4DL D4.5H D4.5DL D5DL D5V Sandalwood	D4H D4.5DL D5V Ash	D4H D4.5DL D5V Sandcastle	D4H D4.5DL D5V Lite Maple	D4H D4.5DL D5V Saffron
D4H D4.5DL D5V Satin Grey	D4H D4.5DL D5V Sage	D4H D4DL D4.5H D4.5DL D5DL D5V Nickel	D4H D4.5DL D5V Indigo	<p>D4H = Double 4" Horizontal D4DL = Double 4" Dutchlap D4.5H = Double 4.5" Horizontal D4.5DL = Double 4.5" Dutchlap D5DL = Double 5" Dutchlap D5V = Double 5" Vertical</p>		

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Double 5" Vertical

Shown in Frost

Length/Pc:
12' 3.66m
Width/Pc:
10" 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
NA

Double 5" Dutchlap

Shown in Nickel

Length/Pc:
12' 3.66m
Width/Pc:
10" 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4.5" Dutchlap

Shown in Flagstone

Length/Pc:
12'1" 3.68m
Width/Pc:
9" 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4.5" Horizontal

Shown in Stratus

Length/Pc:
12'1" 3.68m
Width/Pc:
9" 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4" Dutchlap

Shown in Brownstone

Length/Pc:
12'6" 3.81cm
Width/Pc:
8" 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

Double 4" Horizontal

Shown in Indigo

Length/Pc:
12'6" 3.81m
Width/Pc:
8" 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.040" 1.02 mm
Windload Data:
140 mph 225 KM/h

5

Reasons Vinyl Siding Remains the Top Home Exterior Design Choice

Did you know? Vinyl siding is the primary cladding material on nearly one third of all new homes built.¹

1 Boosts Curb Appeal



THE COLOURS of Mitten Siding & Accessories are certified through the Vinyl Siding Institute (VSI) Product Certification Program for colour retention.

Its unmatched selection of profiles, shapes, textures and colours makes vinyl siding ideal for any home renovation.

Those who re-sided their homes with vinyl siding recouped more than 74% of that cost when selling.²

2 Weather Resistant

MITTEN SIDING & ACCESSORIES is weather resistant, fade resistant and insect resistant.³



NEVER ABSORBS WATER



FADE RESISTANT



INSECT RESISTANT



3 Never Requires Painting

MITTEN SIDING & ACCESSORIES are third-party tested and certified for quality and colour retention. The colour is inside the product, not on top of the surface. It does not crack, peel or fade.

Vinyl siding requires no painting or caulking, just simple cleaning with a garden hose.



4 High Performance



VIRTUALLY INDESTRUCTIBLE



RESISTS WIND SPEEDS UP TO 195 MPH/313KPH.

5 Peace of Mind



MITTEN SIDING & ACCESSORIES are backed by industry-leading warranties that last the lifetime of a home and transfer to the next owner.



LIMITED LIFETIME WARRANTY

MITTEN
BUILDING PRODUCTS

1. Canadian Consumer Practices Report - 2017, Home Innovations Research Center.
2. 2020 Cost vs. Value Report, Remodeling Magazine.
3. Vinyl siding is not a weather resistive barrier and must be installed according to installation instructions.



Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our stock photos, or upload and customize a photo of your own home.

Visit the **Mitten Visualizer** section of www.mittensiding.com

Authorized Dealer/Distributor

MITTEN
BUILDING PRODUCTS

5A - 225 HENRY STREET • BRANTFORD, ONTARIO N3S 7R4
800.265.0774 (T) • 866.257.2168 (F) • MITTENSIDING.COM

