

Build BOLD Create a look that's all your own.





















2023 PRODUCT SHOWCASE

MITTEN

BUILDING PRODUCTS

Mitten provides the most comprehensive selection of high quality, in-stock exterior design solutions.

Mitten helps Architects, Builders and Installers make their ideas and projects come to life by supplying quality materials in an endless variety of design solutions that are easy to install. Mitten sets the benchmark for quality, design options and product availability.

As part of the Cornerstone Building Brands family, we are the largest manufacturer of exterior building products in North America.

ALUMINUM

| Μ | Series | Aluminum | 22, | 23 |
|----|----------|-----------|---------|----|
| ΑΙ | u-Rex | | | |
| Gı | utter Pi | rotection | | 24 |

| SHAKE & STO | NE |
|---|-----------|
| | |
| | _ |
| | |
| | |
| | |
| | HILLIAN . |
| Equilibrium (Control of the Control | 116.4 |

| The Foundry Shake28 Shake Stocking Matrix29 |
|--|
| Genstone |

Northern Perfection 25

Mitten Colour Matched 8' Shake......25

NovikShake NP

NovikShake™ and

WINDOWS & DOORS



| Ply Gem Windows | 32 |
|--------------------|----|
| Fusion Colour Wrap | 32 |
| Ply Gem Doors | 33 |

ACCENTS



| Dly Care | |
|------------------------------|----|
| Ply Gem Blocks & Vents34, | 35 |
| Ply Gem PVC Trim | |
| Novik Shutters | |
| Fence, Railings & Columns | 37 |
| | |

BUILDING ENVELOPE



| House Wrap 38 | 8 |
|------------------------|---|
| Insulation, Sealants & | |
| Foams 38 | 8 |


TOOLS & EQUIPMENT



| Tools | 39 |
|-----------------------|----|
| Bending Equipment | 39 |
| Scaffolding & Ladders | 39 |
| Fasteners | 39 |
| | |

| BRANCH LOCATIONS | | | |
|------------------|------|------|----|
| Branch Locations | | | 43 |





Free Samples

Want to see a colour up close? Order up to 5 complimentary vinyl siding and colour matched shake sample chips online.

Visit mittensiding.com and order your free samples!



The Mitten Colour Match Concept

Mitten Siding & Accessories offer you the choice to match your Vinyl Siding colours with an extensive variety of complementary products.

Choose Colour Matched Trim, Shake, Blocks/Mounts/Vents, Caulking and Fasteners.

We even have colour matches on file with major paint manufacturers.

Have confidence knowing your home is going to look great with Colour Matched Mitten Siding and Accessories.



Visualization

Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our pre-masked photos, or upload and customize a photo of your own home.

Visit the **Mitten Visualizer** section of www.mittensiding.com or download the **Mitten Pro iPad App** (Search "Mitten Pro" for iPad only).



Sales Leads

Each month, tens of thousands visit our website. Homeowners searching for product information are directed to the "Where To Buy" contractor locator or they can click "Get an Estimate" to be connected with a member of the Mitten Team. By completing a short online form to detail their project, these homeowners quickly become pre-qualified sales leads.



Online Training

Continue to develop your skills and knowledge with Mitten Online Training. To be successful, everyone needs to have knowledge about the products they sell, install, service or support. Go to mittentraining.com or to our website at **mittensiding.com**















The West Ridge Double 6" panel captures the appearance of real wood siding with a wide modern profile. The double course panel offers a stunning 12" exposure that will serve as a statement piece in any exterior design project.

The luxury Single 8" plank has the timeless appearance of real wood with flat modern profile. Expertly designed with an impressively broad 8" single course width and a stack lock system, the West Ridge S8 plank offers a sleek, smooth and strong combination perfect for modern and contemporary designs.

The ridged foam backing on both profiles provides added strength to an already thick .046" panel while still being lightweight and very easy to install.

Featuring 4 distinctive woodgrain finishes. 4 on trend solid colours and backed by a limited lifetime warranty, West Ridge is the pinnacle of vinyl siding designed to create luxury curb appeal.

Performance Features:



NO FADE PROMISE*



PREMIUM .046" THICKNESS



HURRICANE FORCE WIND SPEED RATED



D6 - CONTOURED LOCK SYSTEM



S8 - STACK LOCK SYSTEM



LOW GLOSS **COLOUR-RICH FINISH**



LIMITED LIFETIME WARRANTY

RUSTIC Colours









D6H = Double 6" Horizontal S8P = Single 8" Plank

BOLD Colours







Colour D₆H S8P

STANDARD

Frost

^{*}Product will not fade in excess of a Delta E of 1 Hunter unit outside the manufacturing tolerances in the first 5 years and a Delta E of 2 Hunter units outside the manufacturing tolerances after the first 5 years from the date of the original installation of the product on the property.

WEST RIDGE Series - Pictured below in Double 6" Panel Huron Blue



100 sq. ft. / 9.29 m² Nom. Thickness:

Windload Data:

160 mph 257 KM/h

1.1684 mm

.046"

NEW APEX Outside Corner Post Shown in Arctic Grey



Our ultra premium variegated siding features four multi-tone RUSTIC colours to achieve the stunning look of stained cedar with a deep textured woodgrain. Painting, sealing or caulking is never required, and the panels are backed by a No Fade Promise* along with Mitten's limited lifetime warranty.

Available in Sentry's three popular profiles including a vertical Board & Batten panel. the four richly grained and inviting colours are easy to install, architecturally pleasing and sure to create instant curb appeal.

RUSTIC Colours



B&B = Board & Batten

D5V = Double 5" Vertical Siding







D4.5DL = Double 4.5" Dutchlap **D5S** = Double 5" Soffit

Performance Features:



NO FADE **PROMISE**



PREMIUM .044" THICKNESS*



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS TWO TONE FINISH



LIMITED LIFETIME WARRANTY






*Product will not fade in excess of a Delta E of 1 Hunter unit outside the manufacturing tolerances in the first 5 years and a Delta E of 2 Hunter units outside the manufacturing tolerances after the first 5 years from the date of the original installation of the product on the property.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

SENTRY Variegated Vinyl Series - Pictured below in Farmhouse



Available Trims & Accessories

• 5/8" J-Channel • 1/2" J-Channel

Perforated Full Vent 4.2 sq. in.

1.02 mm **Net Free Air Intake Per Foot:**

040"

- Finish Trim • Inside Corner Post
- 1/2" F-Channel
- 10'-3" Outside Corner Post



Burnt Sienna



Farmhouse



Arctic Grey



Hemlock





Our premium product line offers a .044" thick panel and a complete selection of Bold Premium & Natural Standard colour options. Profiles feature a cedargrain texture in a low-gloss finish with a

distinctive deep silhouette for rich

shadow lines. Board & Batten profile is

also available for vertical applications.

COLOURMATCH

Performance Features:



COLOUR MATCHED ACCESSORIES



PREMIUM .044" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS **COLOUR-RICH FINISH**



LIFETIME COLOUR **FADE PROTECTION**



LIMITED LIFETIME WARRANTY



Lighthouse Red

Huron Blue

D4H

в&в

D4.5DL



Sapphire Blue

Yukon Grey

Bold Premium Colours:

D4.5DL

в&в



D4H

в&в

D4.5DL

Timber Bark









D4H D4.5DL В&В Gunmetal Grey





Regatta Blue









Natural Standard Colours:





D4H

D4.5DL B&B



В&В

Ash



D4H

В&В

D4.5DL

Sandcastle









Nickel



D4H = Double 4" Horizontal **D4.5DL** = Double 4.5" Dutchlap **B&B** = Board & Batten

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Double 4.5" Dutchlap

Shown in Grenadier Green

Length/Pc:

3.68m

Width/Pc:

22.86cm

Panels/Ctn:

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.044" 1.12 mm

Windload Data: 180 mph 290 KM/h

Double 4" Horizontal

Shown in Lighthouse Red

Length/Pc:

12'6" 3.81m

Width/Pc:

20.32cm

Panels/Ctn:

24

Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness: .044" 1.12 mm

Windload Data: 180 mph 290 KM/h .045" 1.14 mm

Premium Colours .050" 1.27 mm

Windload Data:

195 mph 313KM/h

Trims & Accessories:

Sentry also has a variety of trims and accessories which can be found on page 14 - 17 of this catalogue.



HIGHLAND BUILDING PRODUCTS

Highland is our most complete product line offering a wide selection of six different .042" thick profiles and a variety of colours.

Attractive profiles feature a satin finish wood-grain texture and complement a variety of architectural styles.



Satin finish wood-grain texture shown in Nickel

Performance Features:



COLOUR MATCHED ACCESSORIES



PREMIUM .042" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS **COLOUR-RICH FINISH**



LIFETIME COLOUR ■ FADE PROTECTION



LIMITED LIFETIME WARRANTY

Bold Premium Colours:



D4H D4.5DL D5DL ТЗН Rockaway Grey



Trims & Accessories

Highland also has a variety of trims and accessories which can be found on page 14 - 17 of this catalogue.

Natural Standard Colours:

D4H D4 5H **D4.5DL** D5H D5DL ТЗН Frost

D4H D4.5H D4.5DL D5H D5DL ТЗН Hearthstone

D4H D4.5DL D5H D5DL ТЗН Nickel D4H D4 5H D4.5DL D5H D5DL ТЗН Bone

D4H D4 5H D4.5DL D5H D5DL Sandalwood

D4H D4.5DL Indigo D4H D4 5H D4.5DL D5H D5DL ТЗН Ivory

D4H D4.5H **D4.5DL** D5H D5DL ТЗН Ash D4H D4 5H D4.5DL D5DL T3H Cypress

D4H D4 5H D4.5DL D5H D5DL Sandcastle

D4H D4 5H D4.5DL D5H D5DL Saffron

D4 5H **D4.5DL** T3H Stratus

D4H D4 5H D4.5DL D5DL T3H Flagstone

D4H D4 5H D4.5DL D5H D5DL Satin Grey D4H D4 5H D4.5DL Brownstone

D4H D4.5H D4.5DL Sage

D4H = Double 4" Horizontal **D4.5DL** = Double 4.5" Dutchlap D4.5H = Double 4.5" Horizontal **D5DL** = Double 5" Dutchlap **D5H** = Double 5" Horizontal **T3H** = Triple 3" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Triple Three

Shown in Cypress

Length/Pc: 12' / 3.66m

Width/Pc: 10" / 25.4cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²

200 sq. ft. / 18.58 m² **Nom. Thickness:** .040" / 1.02 mm **Windload Data:** 155 mph / 249 KM/h

Double 5" Horizontal

Shown in Sandcastle

Length/Pc: 12' / 3.66m Width/Pc: 10" / 25.4cm Panels/Ctn:

20 **Coverage/Ctn:** 200 sq. ft. / 18.58 m²

Nom. Thickness: .042" / 1.07 mm Windload Data: 160 mph / 257 KM/h

Double 5" Dutchlap

Shown in Ash

Length/Pc: 12' /3.66m Width/Pc: 10" / 25.4cm Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²

Nom. Thickness: .042" / 1.07 mm Windload Data:

Windload Data: 160 mph / 257 KM/h

Double 4.5" Horizontal

Shown in Brownstone

Length/Pc: 12'1" / 3.68cm Width/Pc: 9" / 22.86cm Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m² **Nom. Thickness:** .042" / 1.07 mm

Windload Data: 160 mph / 257 KM/h

Double 4.5" Dutchlap

Shown in Nickel

Length/Pc: 12'1" / 3.68cm **Width/Pc:** 9" / 22.86cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m² Nom. Thickness: .042" / 1.07 mm Windload Data:

160 mph / 257 KM/h

Double 4" Horizontal

Shown in Khaki Brown

Length/Pc: 12'6" / 3.81m **Width/Pc:**

8" / 20.32cm Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²


Nom. Thickness: .042" / 1.07 mm **Windload Data:** 160 mph / 257 KM/h



MITTEN OREGONPRIDE

BUILDING PRODUCTS 40 SERIES VINYL SIDIN

Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Brownstone

Performance Features:



COLOUR MATCHED ACCESSORIES



CLASSIC .040" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS COLOUR-RICH FINISH



LIFETIME COLOUR FADE PROTECTION



LIMITED LIFETIME WARRANTY

Trims & Accessories

Oregon Pride also has a variety of trims and accessories which can be found on page 14 - 17 of this catalogue.

Natural Standard Colours:

Indigo

D4H


D4DL

| D4.5DL | D4.5DL |
|-------------|------------|
| D5V | D5V |
| | |
| Frost | Bone |
| D4H | D4H |
| D4DL | D4DL |
| D4.5DL | D4.5DL |
| D5V | D5V |
| | |
| Hearthstone | Sandalwood |
| D4H | D4H |
| D4DL | D4.5DL |
| D4.5DL | D5V |
| D5V | |
| | |

Nickel

D4DI

| D4H | D4H |
|--------|------------|
| D4DL | D4DL |
| D4.5DL | D4.5DL |
| D5V | D5V |
| | |
| Ivory | Cypress |
| | |
| D4H | D4H |
| D4.5DL | D4.5DL |
| D5V | D5V |
| | |
| | |
| Ash | Sandcastle |
| | |



D4H

| D4DL D4.5DL D5V | |
|-----------------------|--|
| Flagstone | |
| D4H | |
| D4.5DL D5V | |
| | |
| DSV | |

Satin Grey

D4H

| D4DL D4.5DL D5V |
|-----------------------|
| Brownstone |
| D4H D4.5DL D5V |
| |
| Sage |

D4H

D4H = Double 4" Horizontal **D4DL** = Double 4" Dutchlap

D4.5DL = Double 4.5" Dutchlap **D5V** = Double 5" Vertical



Double 4.5" Dutchlap

Shown in Flagstone

Length/Pc: 12'1' 3.68m

Width/Pc:

22.86cm

Panels/Ctn:

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness: .040"

1.02 mm

Windload Data: 140 mph 225 KM/h

Double 4" Dutchlap

Shown in Brownstone

Length/Pc:

12'6" 3.81cm

Width/Pc:

20.32cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm

Windload Data: 140 mph 225 KM/h

Double 4" Horizontal

Shown in Indigo

Length/Pc: 12'6"

3.81m

Width/Pc:

20.32cm

Panels/Ctn:

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm

Windload Data: 140 mph 225 KM/h

Double 5" Vertical

Shown in Frost

Length/Pc:

3.66m

Width/Pc:

25.4cm 10"

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm Windload Data:


NA



Dark Roast Vinyl Trims FRESHLY BREWED

By pushing the boundaries of vinyl siding we have developed the darkest trims in the industry.








NEW APEX OUTSIDE CORNER POST - 10'

Used to cover corner end of the wall and to provide a finished look.

Length/Piece: 10' / 3.05 m Pieces/Carton: 12 / 12 Coverage/Carton: 120 LF / 36.58 m






Used to join siding panels at the inside corner of the wall.



Length/Piece: 10' / 3.05 m Pieces/Carton: 20 / 20 Coverage/Carton: 200 LF / 60.96 m






5/8" J-CHANNEL -1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all standard siding applications.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m





H-TRIM

Double channel trim that provides a transition between horizontal and vertical siding.

Length/Piece: 12' / 3.66 m Pieces/Carton: 12 / 12 Coverage/Carton: 144 LF / 43.89 m



THE NEWLY DESIGNED APEX CORNER

The new Mitten Apex corner was designed with the contemporary home in mind. With a peaked profile that increases rigidity, an innovative dark roast finish, and the flexibility to work with all Mitten vinyl siding, the Apex corner is the pinnacle of vinyl accessories.

Achieve that contemporary look with Mitten's Dark Roast trim package that provide a clean and simple look that's maintenance free and designed to last with our No Fade Promise*

TRIMS & ACCESSORIES






1/2" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all soffit applications.


Length/Piece: Pieces/Carton: 50 / 50 Coverage/Carton: 600 LF / 182.88 m





Used in every installation at the bottom of the wall to install the first row of siding. INSTALLATION NOTE: Starter strip must be level!

Length/Piece: 12' / 3.66 m 40 / 40 Pieces/Carton: Coverage/Carton: 480 LF / 146.30 m







7/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with shake and shingle applications.

Length/Piece: 12' / 3.66 m 40 / 40 Pieces/Carton: Coverage/Carton: 480 LF / 146.30 m






GALVANIZED STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding. INSTALLATION NOTE:

Starter strip must be level!

Length/Piece: 9'-10" / 2.99 m Pieces/Carton: 20/20 Coverage/Carton: 196 LF / 59.94 m






1/2" F-CHANNEL

Used for soffit applications, installation starting point at the wall.


Length/Piece: 12' / 3.66 m Pieces/Carton: 30/30 Coverage/Carton: 360 LF / 109.73 m





Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all standard siding applications.

12' / 3.66 m Length/Piece: Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m






Used above and below windows & doors and at the top of siding wall at soffit levels for decorative finish.

Length/Piece: Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m

SIDING





H-TRIM

Double channel trim that provides a transition between horizontal and vertical siding.


12' / 3.66 m Length/Piece: 12 / 12 Pieces/Carton: Coverage/Carton: 144 LF / 43.89 m

8.00

RECESSED WINDOW & DOOR TRIM

Used as a return around windows & doors.


Length/Piece: 12' / 3.66 m Pieces/Carton: 16 / 16 Coverage/Carton: 192 LF / 58.52 m





Same function as the H-Trim, to provide a transition between horizontal and vertical siding. Can also be used as a Starter Strip for horizontal to vertical siding applications.

Length/Piece: 12' / 3.66 m 40 / 40 Pieces/Carton: Coverage/Carton: 480 LF / 146.30 m






3-1/2" WINDOW & DOOR TRIM

Used around windows & doors for a decorative finish.

12' / 3.66 m 10 / 10 Length/Piece: Pieces/Carton: Coverage/Carton: 120 LF / 36.58 m






DRIP CAP

Used above windows & doors to channel water away from the wall.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m




FASCIA

Used to provide a decorative finish over the roof rafters.



Length/Piece: 12' / 3.66 m Pieces/Carton: 10 / 10 Coverage/Carton: 120 LF / 36.58 m






WINDOW CASING TRIM

Decorative accent for windows.

Length/Piece: 12' / 3.66 m Pieces/Carton: 10 / 10 Coverage/Carton: 120 LF / 36.58 m






FASCIA-J

Used to provide a decorative finish over the roof rafters complete with J-Channel for soffit starting point.

Length/Piece: 12' / 3.66 m Pieces/Carton: 20/20 Coverage/Carton: 240 LF / 73.15 m

TRIMS & ACCESSORIES








INSIDE CORNER POST

Used to join siding panels at the inside corner of the wall.

Length/Piece: 10' / 3.05 m Pieces/Carton: 20 / 20 Coverage/Carton: 200 LF / 60.96 m






TRADITIONAL 5-1/2" OUTSIDE CORNER POST - 20'

Wider & longer corner application to provide a finished look at the corners of the wall.

Length/Piece: 20' / 6.096 m Pieces/Carton: 5 / 5 Coverage/Carton: 100 LF / 30.48 m







3" OUTSIDE CORNER POST - 10'

Used to cover corner end of the wall and to provide a finished look.

Length/Piece: 10' / 3.05 m Pieces/Carton: 12 / 12 Coverage/Carton: 120 LF / 36.58 m






FLUTED 5-1/2" OUTSIDE CORNER POST - 20'

Wider & Longer corner application to provide a finished look at the corners of the wall

Length/Piece: 20' / 6.096 m Pieces/Carton: 5 / 5 Coverage/Carton: 100 LF / 30.48 m





3" OUTSIDE CORNER POST - 12'

Used to cover corner end of the wall and to provide a finished look.

12' application for longer corners.

 $\begin{array}{lll} Length/Piece: & 12'\ /\ 3.66\ m \\ Pieces/Carton: & 12\ /\ 12 \\ Coverage/Carton: 144\ LF\ /\ 43.89\ m \end{array}$

MITTEN

Vinyl Trims & Accessories are colour matched to Mitten Vinyl Siding!

Please refer to the Vinyl Colour Matrix found on pages 40 & 41 for full product offering




VINYL SOFFIT



COLOURMATCH

Equinox T3-1/3" Soffit

Premium 10" wide heavy duty soffit engineered to perform. Panels provide a smooth, flat surface and offers the perfect balance of aesthetics and performance.




- Premium .045" thickness for extra rigidity
- Deep ½" panel projection for sharp definition
- Solid or Hidden Vent
- A Hidden Vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m) **Width/Pc:** 10" (25.4cm) **Panels/Ctn:** 20 **Coverage/Ctn:** 200 sq. ft. (18.58 m²) Net Free Air Intake Per Foot: Vented 8.4 sq. in.

Triple 4" Soffit

U groove designed for greater rigidity, delivering outstanding performance, quality and durability.



Features:

- Triple 4" profile (12" wide)
- .040" thickness
- · Solid, Lanced or Perforated


Length/Pc: 12' (3.66m) **Width/Pc:** 12" (30.48cm) **Panels/Ctn:** 16 **Coverage/Ctn:** 192 sq. ft. (17.84 m²)

Net Free Air Intake Per Foot:

Lanced: CV 2.4 sq. in. FV 7.2 sq. in. Perforated: CV 1.96 sq. in. FV 5.89 sa. in.

Double 5" Soffit

Combines U groove design and attractive appearance with the rigidity and durability of premium vinvl.



- .040" thickness
- Solid or Perforated
- Non-ventilated panels may also be used as vertical siding accent

Length/Pc: 12' (3.66m)

Width/Pc: 10" (25.4cm) Panels/Ctn: 20 Coverage/Ctn: 200 sq. ft. (18.58 m²) Net Free Air Intake Per Foot: Perforated Full Vent 4.2 sq. in.

Rustic Colours:





D5"

T4"

B7"


JF16"

ET3-1/3"



T4"

Bone





D5"



Sandcastle



Saffron















ET3-1/3" = Equinox T3.5" Soffit **D5"** = Double 5" Soffit

B7" = 7" Beaded Soffit

T4" = Triple 4" Soffit

JF8" = Jamb-Fit™ 8" Soffit JF16" = Jamb-Fit™ 16" Soffit * For Soffit applications only.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Sage

Vinyl Soffit provides essential ventilation and air movement through the roof structure, eliminating moisture that can cause rotting and decay. It will not rot, peel, chip, flake or blister and vinyl never needs to be painted. All Mitten Vinyl Soffit products feature a Limited Lifetime Warranty.

7" Beaded Soffit

7" wide panel ideal for porch ceilings or to cover up larger areas, adding character and a traditional finishing touch.



Features

- Single 7" wide profile
- .040" thickness
- Solid or Hidden Vent
- A hidden vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m)


Width/Pc: 7" (17.8cm) **Panels/Ctn:** 28

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: Vented 2.66 sq. in.

Jamb-Fit™ 8" Soffit

A durable soffit with an easy to install slide lock.



Features:

- Double 4" profile (8" wide)
- .040" thickness
- Solid or Vented


Length/Pc: 12' (3.66m) Width/Pc: 8" (20.32cm) Panels/Ctn: 24

Coverage/Ctn: 24

Net Free Air Intake Per Foot: 3.14

Jamb-Fit™ 16" Soffit

A wider soffit panel providing easy transition from eaves to wider overhangs, complete with an easy to install slide lock.



Coverage/Ctn: 2 sq/box Net Free Air Intake Per Foot: 6.26

MITTEN PLEASANTVIEW

BUILDING PRODUCTS

 Skirting secures to the perimeter of any mobile home, cottage, deck or foundation

- Vinyl skirting will not rot, peel, flake or blister.
 No need to paint ever
- Ventilated panels encourage air flow and reduce moisture build-up and musty odours
- Front rail pops up so skirting can be easily removed to access storage areas
- Available in Frost to complement any application
- A great alternative to wooden lattice as it won't attract termites

| | TRIPLE 4" | SKIRTING | FRONT/BACK BOTTOM RA | | | | | | |
|--------------|-------------|----------|----------------------|----------------------|--|--|--|--|--|
| Length/Pc | 12' | 3.66 m | 12′ | 3.66 m | | | | | |
| Width/Pc | 12" | 30.48 cm | | | | | | | |
| Panels/Ctn | 16 | 16 | 16 | 16 | | | | | |
| Coverage/Ctn | 192 sq. ft. | 17.84 m² | 192 LF | 58.52 m ² | | | | | |

Note: Vented Skirting has 14 pcs/ctn. covering 168 sq. ft./15.6 m²







The reliability of prefinished steel with the timeless beauty of wood

CCMC #14137-L Compliant

- LUX Panel is available in any custom length from 4' to 24'
- No minimum order required
- Premium Kynar finish durable and long lasting
- Full line of standard & custom flashings available
- Non-combustible
- 40 Year finish and 30 Year substrate warranty
- Optional venting
- Impenetrable to insects
- Water resistant
- Manufactured in Canada
- LUX passes the CAN/ULC S102-10 with a ZERO Flame Spread rating!
- LUX passes ASTM B117 Salt Spray Test
- LUX meets and conforms to CGSB-93.4-92 as per Standards Council of Canada, National Research Council Canada, National Building Code of Canada
- LUX passed the National Research Council of Canada Wind Load Test







LUX Colours































































C = Custom Length Program

RP = Random Plank, Privacy Fence & Folded Wall Program

SMOOTH V-GROOVE PANELS

4" V-Groove



6" V-Groove



SOFFIT PANELS

4" & 6" V-Groove Vented Soffit



Double 7



Double 7 Vented





The Random Plank wall cladding is a product of meticulous craftsmanship that joins together easily to form a sophisticated architectural panel.

The Random Plank can be created in any of the LUX colours. This product has been immensely successful in finding its place on contemporary residential, multi-unit residential and even as an indoor fireplace surround.



LUXLAP

The LUXLAP Panel is sold by the box, and it's available in 6 woodgrain and 5 knotty woodgrain colours in 4" and 6" V-Groove profiles. The 4" profile contains ten 12' long panels covering 40sq. ft. and the 6" profiles contains eight 12' long panels covering 48sq. ft. LUXLAP fits perfectly into the next panel meaning that it can be installed without interruption by a joiner trim or unsightly butt joint. Unlike other metal cladding systems, LUXLAP's interlocking design and 24 gauge steel gives you superior rigidity and hidden seams at infinite lengths.



ALUMINUM



M SERIES ALUMINUM products make it easy to dress up any home or light commercial building. Each product in the collection - Soffit, Fascia, Accessories, Trim Coil - will look and perform beautifully for years to come. Aluminum Soffit and Accessories offer an assortment of styles as well as a selection of colours designed to match or complement Mitten vinyl siding.



AVAILABLE COLOURS





SOFFIT & FASCIA

A COMPLEMENTARY FINISH

M-Series Soffit & Fascia features a durable, virtually maintenance-free finish and are easy to install.

Venting options in soffit help create positive air flow in the attic and rafters to help prevent moisture buildup and add a lasting finishing touch to your soffit application with M-Series Aluminum Fascia.



AVAILABLE PRODUCTS TRIM COIL

Cuts Clean, Bends Sharp, Lays Flat.

M-Series trim coil meets or exceeds aluminum specifications for grade, hardness, temper (flexibility) and gauge (thickness).

- 24" x 98' (60cm x 30m)
 Heavy Trim Coil
 1 side painted
- 24" x 98' (60cm x 30m)
 Heavy Trim Coil
 2 sidespainted

Available in all M-Series colours



QUAD 4 SOFFIT

- Available in Solid and Full Vent profiles
- Full Vent offers 10.39 sq./in per lin/ft of net free air space



FASCIA

- Available in 6", 8"†, 8-1/2"* and 10" widths
- † Eastern Canada Only
- * Western Canada Only



ACCESSORIES

M-SERIES offers a complete line of accessories that work in harmony with each product in our aluminum program. Our J-channels and Drip Edge blend into the overall look and feel of your home.



J-Channel



Drip Edge

RAINWARE



A Beautifully Defensive Solution

M-SERIES rainware products systematically provide years of lasting protection.

You will find a complete line of quality gutter coil, downpipe and elbows to whisk away water.



Gutter Coil



Downpipe



Elbows



double & pro®

t*rex®

gutter*clean*







| FOR <u>New</u> rain gutters in Debris Area | ✓ | | |
|---|----------|-------------------|-------------------|
| FOR <u>New</u> rain gutters in treeless area | | / | |
| INSTALLS <u>OVER EXISTING</u> RAIN GUTTERS | | | 1 |
| Strengthens gutters to support 250 lb per linear foot | ✓ | ✓ | |
| Fastens gutters to the house | ✓ | ✓ | |
| Replaces spikes and hangers | ✓ | / | |
| Protects gutters from pine needles | ✓ | | |
| Protects gutters from leaves and debris | 1 | / | 1 |
| Can handle 29.7" (754 mm) of water per hour | 1 | / | 1 |
| Reduces problems with ice and snow | ✓ | / | 1 |
| Warranty on material | LIFETIME | LIFETIME | 40 YEARS |
| Warranty on sturdiness | LIFETIME | LIFETIME | |
| Clog-free warranty against leaves | LIFETIME | 40 YEARS PRORATED | 40 YEARS PRORATED |
| Clog-free warranty against pine needles | LIFETIME | | |





eclipse™ TECHNOLOGY

The double membrane keeps debris from getting inside the gutter. The offset holes make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.







The suction created by the two membranes makes it possible to drain three times more water than ever recorded in the heaviest storms. The inner membrane draws water through the wider holes.



WATCH THE VIDEO







MITTEN COLOUR MATCHED 8' Shake

COLOURMATCH



ROUGH SAWN 8' SHAKE Shown in Yukon Grev

Length/Pc: 96.5" **-** 245.11 cm Panels/Ctn: 22

Width/Pc: 8.5" **-** 21.59 cm Coverage/Ctn: Approx. 1 square **Exclusive National Distributor**

A low maintenance alternative to cedar shakes, at a fraction of the cost, with high attachment to vinyl siding

- Mix & Match with Mitten vinyl siding
- Naturally textured surfaces
- Staggered butt ends for realistic look
- · Resists the effects of sun, heat and cold
- 25 of the most popular Mitten colours
- Corners & Half-Rounds also available.





NovikShake NP Northern Perfection

For the look of real cedar... with no upkeep!

- · Mix & match with Mitten vinyl siding
- Realistic wood grain texture
- Complements all types of siding
- Impervious to moisture, will not rot, split or decay
- · Lightweight yet rigid material
- Quick & easy to install
- Corners also available in matching colours
- Virtually maintenance free
- Certification: CCMC 13420-R

Northern Perfection Colours:



Length/Pc: 46.88" (119.06cm) Width/Pc: 16.5" (41.91cm) Panels/Ctn: 11 Coverage/Ctn: 48.84 sq. ft. (4.54 m²)



Due to the printing process colours may not be exactly as shown.

Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

SHAKE & STONE



NovikShake™ is a low maintenance alternative to cedar shakes, at a fraction of the cost

NovikShake RS8

ROUGH SAWN 8' SHAKE Shown in Mitten Nickel



Length/Pc: 96.5" (245.11 cm) **Width/Pc:** 8.5" (21.59 cm)

Panels/Ctn: 22 Coverage/Ctn: Approx. 1 square

NovikShake RS

ROUGH SAWN SHAKE Shown in Novik Windsor Blue



Length/Pc: 48.75" (123.83 cm) **Width/Pc:** 14.5" (36.83 cm)

Panels/Ctn: 12 Coverage/Ctn: Approx. 1/2 square

NovikShake HS

HAND-SPLIT SHAKE Shown in Novik Brownstone



Length/Pc: 48.38" (122.87 cm) **Width/Pc:** 18.75" (47.63 cm)

Panels/Ctn: 9 Coverage/Ctn: Approx. 1/2 square

NovikShake HR

HALF-ROUND Shown in Mitten Brownstone



Length/Pc: 32" (81.3 cm) **Width/Pc:** 10" (25.4 cm)

Panels/Ctn: 22 Coverage/Ctn: Approx. 1/3 square

- Made in Canada
- Exclusive National Distributor
- Accessories available in matching colours
- Seamless joints
- No painting, staining or caulking required
- Lightweight yet rigid material
- Fast fit[™] features that simplify installation
- Impervious to moisture, can be installed right up to the roof line
- Hail resistant
- Resistant to warping, expansion, contraction and cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime limited warranty



NovikStone[™] products bring the timeless beauty of masonry, from rustic charm to modern appeal while adding performance and durability that is simply unmatched

NovikStone DS

CARRARA COLLECTION - Shown in Grigio



Length/Pc: 41.5" (105.41 cm) **Width/Pc:** 13.13" (33.34 cm)

NovikStone SK

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/4 square

STACKED STONE - Shown in Smoke Grav

NovikStone

ARTISAN CUT - Shown in Castle



Length/Pc: 45" (114.3 cm) **Width/Pc:** 20.25" (51.44 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/2 square

NovikStone PHC

PREMIUM HAND-CUT STONE Shown in Misty Beige



Length/Pc: 48" (121.92 cm) **Width/Pc:** 18.5" (47 cm)

Panels/Ctn: 9 Coverage/Ctn: Approx. 1/2 square

NovikStone DS

DRY STACK STONE - Shown in Anthracite



Length/Pc: 41.5" (105.41 cm) **Width/Pc:** 13.13" (33.34 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/4 square

NovikStone FS

FIELDSTONE Shown in Rocky Mountain



Length/Pc: 50" (127cm) **Width/Pc:** 19.13" (48.58 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/2 square



Length/Pc: 45" (114.3 cm)

Width/Pc: 20.25" (51.44 cm)

NovikShake™ Colour Chart

NovikStone™ Colour Chart

| Stain Natural C | olou | r Collection | | | | | | | Colour Chips | # Colour | DS | SK | PHC | FS | AC | СС | Novik Trim |
|--------------------------------|-------|-----------------|----|-----|----|----|----|----------------------|--------------|---------------------|----|----|-----|----|-----------|----|----------------------|
| Colour Chips | # | Colour | NP | RS8 | RS | HS | HR | Novik Trim | | 266 Fossil | | | | | | | Weathered Blend #20 |
| | 301 | Oak | | | | | | Mountain Cedar #651 | | 267 Carbon | | | | | $ \cdot $ | | Onyx #223 |
| | 303 | Walnut | | | | | | Brown #667 | | 265 Saddle | | | | | | | Cedar Blend #202 |
| | 304 | Teak | | | | | | Red Amber #652 | | 262 Castle | | | | | • | | Canyon Blend #208 |
| | 305 | Ebony | | | | | | Burnished Slate #682 | 75 | 263 Latte | | | | | • | | Weathered Blend #20 |
| | 306 | Sequoia | | | | | | Barb Red # 198 | | 1000 Grigio | | | | | | • | Heritage Gray #063 |
| Blended Colou | r Col | lection | I | | l | | l | | | 229 Basalt | | | | | | | Canyon Blend #208 |
| Colour Chips | # | Colour | NP | RS8 | RS | HS | HR | Novik Trim | | 231 Brownstone | | | | | | | Cedar Blend #202 |
| | 201 | Weathered Blend | | | | | | Weathered Blend #201 | | 233 Anthracite | | | | | | | Onyx #223 |
| | 202 | Cedar Blend | | | | | | Cedar Blend #202 | | 234 Travertine | • | | | | | | Heritage Gray #063 |
| | 208 | Canyon Blend | | | | | | Canyon Blend #208 | NS | 235 Limestone | • | | | | | | Weathered Blend #20 |
| | 229 | Basalt | | | | | | Canyon Blend #208 | | 236 Lava | • | | | | | | Onyx # 223 |
| | | Brownstone | | | | | | Cedar Blend #202 | | 237 Flint | • | | | | | | Gray Black Blend #20 |
| | | Anthracite | | | | | | Onyx #223 | 1 | 216 Aspen | | • | | | | | Weathered Blend #20 |
| Solid Colour Co | | | | | | | | | | 217 Smoke Gray | | • | | | | | Weathered Blend #20 |
| Colour Chips | # | Colour | NP | RS8 | RS | HS | HR | Novik Trim | | 218 Moka | | • | | | | | Weathered Blend #20 |
| | 001 | White | | | | | | White #001 | 1 | 219 Terra | | • | | | | | Terra #219 |
| tatak engelia 1891 - Karl | ì | Heritage Gray | | | | | | Heritage Gray #063 | | 223 Onyx | • | • | | | | | Onyx #223 |
| | | Sandstone | | | | | | | | 224 Sand Blend | | • | | | | | Sand Blend #224 |
| | | | | | • | • | • | Sandstone #064 | | 225 Smoke White | | | • | | | | Weathered Blend #20 |
| | | Windsor Blue | • | • | • | • | • | Windsor Blue #486 | | 226 Shadow Gray | | | | | | | Gray Black Blend #20 |
| | 487 | Brunswick Green | • | • | • | • | • | Brunswick Green #487 | | 227 Misty Beige | | | • | | | | Cedar Blend #202 |
| | 485 | Coventry Gray | • | • | • | • | • | Coventry Gray #485 | | 238 Grand Canyon | | | | • | | | Gray Mortar #681 |
| NovikShake Lo | _ | | | | | | | | | 240 Adirondacks | | | | • | | | Gray Mortar #681 |
| NP - Northern RS8 - Rough S | | | | | | | | | | 242 Rocky Mountains | | | | • | | | Gray Mortar # 681 |

RS - Rough Sawn Shake

HS - Hand Split Shake

HR - Half Round

NovikStone Legend

DS - Dry Stack Sone

SK - Stacked Stone

FS - Fieldstone

AC - Artisan Cut

SHAKE & STONE



FOUNDRY SHAKE

- Easy to install as an accent or on large coverage areas
- Cast in real cedar molds creating extraordinary authenticity
- Available in a wide range of colours including The Foundry Weathered Collection and a match to Mitten vinyl colours





7" Split Shake

Shown in Lite Khaki

Length/Pc: 60.75"

1.54m

Width/Pc:

17.78cm

Panels/Ctn:

34

Coverage/Ctn:

100 sq. ft. 9.29 m²

Nominal Thickness:

0.45" 1.14mm



7" Staggered Shake

Shown in Red Cedar

Length/Pc:

60.75" 1.54m

Width/Pc:

17.78cm

Panels/Ctn:

34

Coverage/Ctn:

100 sq. ft. 9.29 m²

Nominal Thickness: 0.50" 1.27mm



10" Staggered Shake

Shown in Russet

Length/Pc:

1.59m 62.5"

Width/Pc:

25.4cm

Panels/Ctn:

23

Coverage/Ctn: 100 sq. ft. 9.29 m²

Nominal Thickness:

1.27mm 0.50"

SHAKE & STONE

| ### Page ### | | | CHED SHAKE | | | ake | rners | | ш | | | | | | | er | er Corner | | | | FOUNDRY | 7" Split Shake | 7" Staggered Shake | 7" Shake Comer | 1" J Channel | |
|--|---------------|-----------------------|------------|------|-------|--------|-------|------|--------|--------|-------|------|-------|------|----------|-------|-----------|----|-----------------|---------------------|---------------|----------------|--------------------|----------------|--------------|-------|
| Bone #D9IM | | | MATC | | ier | on Sha | on Co | | STON | | ier | | irner | | rner | Ledg | Ledg | | | | | - | | \vdash | | |
| Bone 809IM | | | OUR | | Corr | fecti | fecti | anel | Щ % | Jake | Corr | | S | Ф | S | rem | rem | | | | | - | 0 | | | |
| Bone 809IM | | | 9 | | Jake | n Per | ו Per | nd F | HA | lar St | Jake | × | k 2 F | Stor | Stor | one F | one F | 7 | | | | - | | | | |
| Bone 809IM | | | EN | hake | ar Sl | therr | therr | 8 | ¥ | Cec | ar Sl | Stac | Stac | ked | ked | ikStc | ikSto | ΪΞ | | | | - | | | | |
| Huron Blue #474M | | | Ψ | Š. | Ced | No | No | Half | 8 | RS8 | Ced | Dry | Dry | Stac | Stac | Š | Š | Ž | S | _ | | • | • | \vdash | | |
| Huron Blue #474M | | Bone #091M | | | | | | | | | | | | | | | | | N. N. | Rustic Cedar #809 | | - | - | | | |
| Huron Blue #474M | | | | _ | _ | | | | | | | | | | | | | | Q | | | - | - | - | | |
| Huron Blue #474M | | | | _ | _ | | | • | | | | | | | | | | | 0 | | | - | - | - | | |
| Huron Blue #474M | | | | _ | _ | | | | | | | | | | | | | | O | | | | _ | - | | |
| Huron Blue #474M | | | | ٠ | • | | | | | | | | | | | | | | | | | | - | - | | |
| Huron Blue #474M | | | | _ | - | • | • | • | | | | | | - | - | | | | \supseteq | | | | | | • | |
| Huron Blue #474M | | | | _ | _ | | | | | | | | | | | | | | 5 | | | | | | | |
| Huron Blue #474M | | Hearthstone #804M | | _ | _ | | | | | | | | | | | | | | 0 | | | | | | • | |
| Value Valu | | | | _ | _ | | | | | | | | | | | | | | ш. | | | | | | • | |
| Muskola Green #46 M | | | | _ | _ | | | | | | | | | | | | | | | | | | | | | |
| Annapolis Blue #855M | | | | _ | _ | | | | | | | | | | | | | | | | | | | | | |
| Rockaway Grey #989M | | | | _ | - | | | | | | | | | | | | | | | ONE | ier | | | | | × |
| Rockaway Grey #989M | | | | - | _ | | | | | | | | | | | | | | S | A ST | Corr | | 9. | Cap | | e Bc |
| Rockaway Grey #989M | | | | - | _ | | | | | | | | | | | | | | 포 | ETT. | rsal | nne | ar Sti | scot | Box | otacl |
| Rockaway Grey #989M | | | | - | _ | _ | - | | | | | | | | | | | | 5 | ERS at P | nive | -Cha | tarte | /ains | ght | ecek |
| Cedar Blend #202 Canyon Blend #208 Aspen #216 Smoke Grey #217 Moka #218 Onyx #223 Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Stone Grey Stone Grey Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone | | Rockaway Grey #989M | | • | • | • | • | | | | | | | | | | | | | | <u> </u> | <u> </u> | S. | >_ | | ~ |
| Cedar Blend #202 Canyon Blend #208 Aspen #216 Smoke Grey #217 Moka #218 Onyx #223 Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Stone Grey | | | | _ | _ | | | | | | | | | | \vdash | | | | \mathcal{S} | | _ | | | | - | |
| Cedar Blend #202 Canyon Blend #208 Aspen #216 Smoke Grey #217 Moka #218 Onyx #223 Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Stone Grey | | | | _ | _ | | | | | | | | | | | | | | \triangleleft | | - | | | | | |
| Cedar Blend #202 Canyon Blend #208 Aspen #216 Smoke Grey #217 Moka #218 Onyx #223 Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Stone Grey | | Grenadier Green #866M | | • | • | | | | | | | | | | | | | | E | | - | | | \Box | \Box | |
| Cedar Blend #202 Canyon Blend #208 Aspen #216 Smoke Grey #217 Moka #218 Onyx #223 Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Stone Grey | | | | | | | | | | _ | | | | | | | | | SE | | - | | | | - | |
| Cedar Blend #202 Canyon Blend #208 Aspen #216 Smoke Grey #217 Moka #218 Onyx #223 Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Stone Grey | | | | | | | | | | _ | _ | | | | | | | _ | 2 | | | | | • | • | • |
| Canyon Blend #208 | | | | | | | | | | _ | _ | | | | | • | • | _ | > | | \Box | • | ٠ | - | • | • |
| Aspen #216 Smoke Grey #217 | | | | | | | | | | _ | _ | | | | | | | | | Storie Grey | | | | 0 | | |
| Moka #218 | | Aspen #216 | | | | | | | | | | | | • | • | | | | | | | | | | | |
| Sand Blend #224 Basalt #229 Brownstone #231 Anthracite #233 Travertine #234 Limestone #235 Lava #236 Flint #237 Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 Northern Slate Vanilla Bean Stratford Coffee Iron Ore Kenai KeyStone KeyStone KeyStone KeyStone | (0 | | | | - | - | - | | | | | | | | _ | - | | | | U.n. | E | ner | | | <u></u> | |
| Sand Blend #224 | 쏲 | | | | | | | | | | | | | - | - | • | • | • | | Ret | ketur | Ö | | - | Pane | ₹ |
| Carry Arabot Carry Car | \sim | Sand Blend #224 | | | | | | | | | | | | ٠ | ٠ | | | | | ight | erur Jorne | Iside | Æ | edge | ĭi ∥ar | aint |
| Carry Arabot Carry Car | \exists | | | | - | | - | | | _ | • | _ | - | | | - | | | RS | ne ne | ne L | le l | ne T | ne L | ne P | ne F |
| Carry Arabot Carry Car | \mathcal{S} | | | | | | | | | _ | • | _ | _ | | | | | | \geq | ONE Sto | 3 8 | Sto | Sto | Sto | Sto | St |
| Carry Arabot Carry Car | \leq | | | | | | | | | | | _ | _ | | | | | | | NSTC ckeo | Skec Skec | Se Se | Seo. | ckeo: | ckeo | ckeo |
| Flint #237 | \geq | | | | | | | | | | | - | - | | | | | | 0 | GEI Star | Sta | Sta | Sta | Sta | Sta | Sta |
| Oak #301 Ebony #305 Gray Mortar #681 Rockaway Grey #925 Teak #304 Walnut #303 | \geq | Flint #237 | | | | | | | | | | 0 | _ | | | | | | Ш | | | | • | 0 | 0 | • |
| Colling #303 Colling #304 Colling #304 Colling #305 Coll | ∞ | Oak #301 | | - | | | | | | _ | _ | | | | \vdash | | | • | Z | | | _ | _ | | | |
| Rockaway Grey #925 Teak #304 Walnut #303 Walnut #303 Walnut #304 Walnut #305 Rockaway Grey #925 Rockaway Grey #925 Renai Renai Renai ReyStone Renai ReyStone | Z | | | | | | | | | | • | | | | | | | | 2 | | - | _ | _ | _ | _ | |
| leak #304 | Щ | Rockaway Grey #925 | | | | | | | | _ | | | | | | | | | S | Iron Ore • • | _ | _ | _ | _ | _ | _ |
| Z vrdindr 17000 | = | | | | | | | | | | | | | | | | | | 山田 | | | | | | | |
| Grey Black Blend #206 Desert Sunrise 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | 2 | Grey Black Blend #206 | | | | | | | | | | | | | | | | • | 0 | | | _ | | $\overline{}$ | | • |

^{*}Additional colours may be available by special order.
Product offering subject to change, please consult with your local branch.



Z O

ST

GEN

30

GenStone

- Exclusive distributor in Canada
- · Appearance of real masonry at a fraction of the cost
- Available in small pack sizes (6 panels per carton)
- Ideal for any project as there is no need for structural modifications to the foundation
- Simple, mortarless installation with four patterns for an authentic finish
- 25-year limited warranty

GenStone Stacked Stone / Length/Pc: 41" (1.0414m) - Width/Pc: 11.25" (28.575cm)
















TRIMS & ACCESSORIES



SHAKE & STONE





UNIVERSAL CORNER



The Universal Corner panels are the same size and shape as Flat panels but have finished ends. Universal Corner panels fit neatly with Flat panels and are designed for use on end wall terminations and for inside and outside corners.

LEDGESTONE - The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.

VERSETTA STONE

The beauty of stone, the simplicity of siding.

- Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in rain screen
- Pre-drilled weep holes allow water to escape
- Can be installed in any weather conditions
- Indoor/Outdoor application
- 110 MPH Wind Resistance
- 60-Year Corrosion Resistant Nailing Flange
- **50-Year** Transferable Warranty
- Class A Fire Rating
- ICC Evaluation Service Report ESR-2859



Tongue

Integrated Rain Screen

FLAT PANEL



The main component of the Boral Versetta Stone® system, the Flat panel covers two square feet and weighs approximately 17 lbs. Each panel is embedded with a G-90 galvanized nailing flange that allows for easy installation with mechanical fasteners. The built-in rain screen and other moisture management features ensure proper water drainage.

PANEL DIMENSIONS
Height: 8" Length/Pc: 36"
Note: Fach panel covers 2 sq. ft.





















Clad Wood Windows



- insulated glass







Features and Benefits

- Multi-layered film is applied to vinyl using polyurethane reactive hot melt to create permanent bond between wrap and vinyl
- Easily withstands the most extreme heat and cold conditions
- Extremely resistant to scratches and abrasions
- Unaffected by environmental pollutants
- Performs well in sea-side applications
- Dirt and grime are easily cleaned away using normal mild household cleaners







Fiberglass

Woodgrain Entry Doors

- The beauty of traditional woodgrain doors
- Will not warp, rot or rust
- Four woodgrain patterns to choose from
- Can be stained or painted to complement your home`s colour scheme
- Compression molded for high impact strength



Fiberglass

Smooth Entry Doors

- Smooth fiberglass door holds paint better than traditional wood doors
- Will not warp, rot or rust
- More durable than wood
- Insulates up to six times better than wood doors
- A variety of flush and embossed panels available, many with glass options

Patio Doors

Sliding and Swinging



- Multiple sliding patio doors to choose from, designed to coordinate with our windows
- Patio doors made to match your windows
- Hybrid aluminum clad vinyl doors have colourful and durable aluminum-cladding on the outside
- Interiors are fine grain textured wood which can be stained or painted to match your decor
- Inswing or outswing styles are available



Steel

Smooth Entry Doors

- One of the most secure entry doors you can buy
- The steel skin prevents rotting swelling and cracking
- Does not absorb moisture like wood so it holds paint longer for a bright entrance
- Helps insulate from heat, cold and outside noise



Storm Doors

Aluminum or Vinyl

- Let in natural light and ventilation
- Provides protection from the elements
- Available in many styles from classic to modern in a variety of colours
- Comes with a retractable screen and locking lever handles

Ply Gem Products are:

Energy efficient to save on heating & cooling costs: In an average building, up to 40% of heat loss is due to old windows that are not airtight. When it comes to energy efficiency, Ply Gem is the leader in offering a wide variety of frame, sash and glass options.

Durable and long lasting: Ply Gem stands for quality products built to the tough standards of an industry leader. Cladding options in vinyl, aluminum and wood offer you the choice of long lasting windows & doors designed to perform in the tough Canadian climate.

Made in Canada: Ply Gem windows & doors are subject to the strict quality criteria prevailing in Canada.

Backed by superior service: The Ply Gem dealer network provides consistent installation practices with excellent on-site support. Ply Gem dealers offer premium service — both before and after the purchase.

Ply Gem Canada Windows are ENERGY STAR certified

Mounting Blocks



COLOURMATCH





Universal J-Block® Square Mounting Block The J-Block® is designed to easily & attractively mount light fixtures & receptacles.

Also offered in Scroll Cut.

| -745 |
|-------------|
|-------------|

Universal Large J-Block® Mounting Block


The Large J-Block® is designed to mount large light fixtures, house numbers & mailboxes. Also offered in Scroll Cut.




(UL) UL Mounting Block

The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets.

| SURFACE DIMENSIONS: | | |
|----------------------------|----------------------------|------------------------|
| 5" x 6" | 6" x 10-1/8" | 5" x 6" |
| FLANGE DIMENSIONS: | | |
| 7-3/16" x 8-3/16" | 8-5/8" x 12-7/8" | 7-1/8" x 8-1/8" |
| J-CHANNEL I.D.: | | |
| 1/2" adjusts to 1-1/4" | 1/2" adjusts to 1-1/4" | 5/8" adjusts to 1-1/4" |
| KNOCKOUTS: | | |
| Round: 4" Diameter | Rectangle: 2-1/8" x 4-1/8" | NA |
| Rectangle: 2-3/8" x 3-3/4" | | |







Split Recessed J-Block® Mounting Block

The Split Recessed J-Block® has a

FLANGE DIMENSIONS

| patented hinge that allows for ease of installation. | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|
| SURFACE DIMENSIONS: | | | | | | | | | | | |
| 5-5/8" x 7-3/8" | | | | | | | | | | | |

6" x 7-1/2" J-CHANNEL I.D.:

3/4" adjusts to 1-1/4"

KNOCKOUTS: Rectangle: 2-1/4" x 3-7/8"





Mini J-Block® Mounting Block

The Mini J-Block® mounting block mounts small accessories such as doorbells and electrical outlet receptacles.

6" x 4-3/8"

6-7/8" x 5-1/4"

| 3/4" adjusts to 1-1/4" |
|--|
| |
| Round: 1-1/8" Diameter |
| Rectangle: 2-3/8" x 3-3/4" |
| 1-1/8" 4-3/8" — 4-3/8 |




E-Z Block Surface Mounting Block

The one-piece design can be used after siding installation to mount all types of accessories.

6-3/4" x 6-3/4"- Projection: 3/4"

| | NA |
|------------|-----------------|
| | |
| | NA |
| | |
| Round: | 1" Diameter |
| Rectangle: | 2-3/8" x 3-3/4" |
| | |
| 1 | 3/4"」 |
| | |






Meter Base Mounting Block

The Meter Base Mounting Block mounts large accessories such as hose racks and electric meter bases.

| 16-1/2" x 15-1/2" |
|-------------------|
| |
| 18-1/2" x 16-3/4" |
| |
| 1-1/4" |
| |
| NA |
| 1-1/4" |



Utility & Gable Vents









Foundation Vent

SURFACE DIMENSIONS:

The Foundation Vent is used to ventilate crawl space areas.



Louvered Exhaust Vent

 $4" = 7" \times 7"$

Louvered Exhaust Vent is used to vent dryers and bathroom exhaust fans.




Hooded Exhaust Vent

The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals


6-7/8" x 6-7/8"


| | 8-3/4" x 17" | |
|--------------------|------------------------|--|
| FLANGE DIMENSIONS: | | |
| | 9-1/2" x 18-1/4" | |
| J-CHANNEL I.D.: | | |
| | 3/4" adjusts to 1-1/4" | |
| NET FREE AREA: | | |
| | 50 sq in | |
| | | |
| | \sim | |



| | $4" = 8-1/2' \times 7-1/2"$ | $6" = 9-1/2" \times 10-3/8"$ | 6-5/8" x 5-5/8" Neutral Base |
|---|-----------------------------|------------------------------|------------------------------|
| | | | |
| | 3/4" adjusts to 1 | -1/4" | 3/4" adjusts to 1-1/4" |
| | | | |
| | 4" = 9.2 sq in | 6" = 17.6 sq in | NA |
| | | | |
| | | | |
| * | 7-1/2" OIAMETER | | . R.5/ " |
| | a DIAM | | 6-3/ |

6" = 9" x 9"







- Gable Vents are available in round, square, octagonal, half-round and rectangular sizes
- Ply Gem's two-piece gable vent system is fully compatible with all siding profiles
- Simply install a base when installing the siding, then snap on the cover later
- Rectangular bases, instead of round, make siding cuts easier
- Available in Mitten Standard & Premium vinyl siding colours
- Paintable version available
- Adjustable 5/8" 1-1/4" for use with all siding styles


| ROUND DESIGN | ROUND TOP DESIGN | HALF-ROUND DESIGN | RECTANGU | LAR DESIGN | OCTAGON | AL DESIGN | SQUARE DESIGN |
|--------------------------|------------------|-------------------|---------------|------------|---------------|---------------|---------------|
| SIZE: | | | | | | | |
| 18" | 14" x 22" | 34" x 22" | 14" x 20" | 18" x 24" | 18" | 22" | 14" x 14" |
| VENTILATED OPENING: | | | | | | | |
| 10" x 12-1/2" | 10" x 12-1/2" | 20" x 16" | 10-1/2" x 15" | 16" x 20" | 10" x 12-1/2" | 10-1/2" x 15" | 10" x 12-1/2" |
| OUTSIDE UNIT DIMENSIONS: | | | | | | | |
| 18" | 14" x 22" | 34" x 22" | 14" x 20" | 18" x 24" | 18" | 22" | 14" x 14" |
| NET FREE AREA (sq in): | | | | | | | |
| 48.36 | 53.17 | 80.46 | 23.29 | 92.88 | 49.72 | 48.5 | 33.59 |
| | | | | | | | |





Ply Gem PVC Trim

PVC does not absorb water, so it won't rot, warp or split. PVC trim board can be cut, drilled and routed like wood. You can even install them to grade or against concrete.



Trim Boards

PVC trim board can be cut, drilled & routed like wood. These are also available as sheets (smooth/smooth or woodgrain/smooth) or as notched bead board. They can be used for fascia, frieze boards, window and door trim, deck edging, and decorative accents.



Skirt Boards

PVC skirt boards provide the finishing touch without the worries of water damage. The sloped top drains water away from the house, making it the ideal border for fiber cement and other composite siding materials. Available in smooth or woodgrain.



Mouldings

Mouldings are a long-lasting alternative to wood accent trim and are available in shapes that enhance any home's style, in gables around windows and doors, or wherever you desire. Drip Cap, Shingle Mould, Rams Crown, Bead Board, Inside Corner, Historic Sill and Brick Mould are all available.



Corners

One-piece outside corners provide a square edge with no unsightly, rough seams. Available in smooth or woodgrain finish.

Withstands the elements






Because Ply Gem trim does not absorb moisture, it won't rot, split or warp like wood. It also does not attract termites or other insects.

Won't split, crack or peel





Easy to install





Notched corners make it easier to install and eliminates the need for a J-channel. It cuts and saws like wood, and can be installed in natural white or painted.



SHAKES, STONE AND ACCENTS

- Quick & easy installation on any surface
- Linear system adjustable to the nearest 1/4" (0.64 cm) to fit the exact length of your window
- Resistance to discolouration (UV rays)
- Virtually maintenance-free
- Extreme temperature variation resistance

Louvered sizes:

- Widths: 12" (30.5 cm) or 14" (35.6 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

Raised Panel sizes:

- Widths: 12" (30.5 cm) or 14.5" (36.8 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

Standard Colours:





Heritage Brown



Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.





Aluminum Railing & Columns

Dramatically enhance the appearance and functionality of any home with high quality aluminum railing and columns. Durable, low maintenance option that will not crack, chip, warp, rot, or peel.

Imperial Aluminum Columns

*Square Flat Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

*Square Recessed Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

*Available in White or Black (Black available in 108" or 144" Heights)

5000 Series Railing

- Heights: 32", 36" & 42"
- Spindle sizes: 1/2" x 3/4", 3/4" x 3/4" & 3/4" x 1"
- Post sizes: 2" x 2" & 3" x 3"

Legacy Series Railing

- Pre-assembled up to 13' in length Boxed ready to assemble system
 - Lengths: 46", 59" & 72"
 - Heights: 36", 42" & 48"
 - · Box includes top & bottom rails, spindles, spacer clips, spindle attachment, peg leg support & fastening hardware

Colours











NOTE: *Grey & Commercial Brown only available in 5000 Series Railing *Legacy Series only available in Black & White

ALPA OUTDOOR PRODUCTS

Vinyl Fence, Railing & Columns

Alpa Outdoor Products provide an easy to install, low-maintenance option to enhance the curb appeal of any home.

1400 Classic Series Railing

- 2-7/8" Wide Handrail
- 1-3/8" Balusters
- 4"x4" Posts
- Hidden hardware system
- Pre-assembled up to 7' 6" max. rail span
- Meets Part 3 and Part 9 of Ontario and National Building Code

1403 Builder Series Railing

- 2-1/8" Handrail
- 1-3/8" Balusters
- 3"x3" Posts
- Hidden hardware system
- Pre-assembled up to 7' max. rail span
- · Meets Part 9 of Ontario and National Building Code

Vinyl Fence

- Section Sizes: 4' x 6' & 6' x 6'
- Post Size: 4" x 4" x 78"
- 12 different styles available
- · Fence panels arrive fully assembled
- Fence gates are reinforced with steel inserts for added strength & protection



Vinyl Columns

Square & Round Columns*

- Widths: 8"& 9"
- Heights: 6', 8', 9', 10' & 12'

Split Square Columns

Sizes: 8" x 6', 8" x 8', 8" x 9', 8" x 10', 8" x 12'


*9" Column width available in square only





Colours







DUPONT® Tyvek Homewrap & Flashing

- Unique non-woven, non-perforated house wrap
- Prevents air and water infiltration
- Allows water vapour to escape to prevent mold and water damage
- Butyl-backed flashing requires no fasteners
- Protects window and door sill from water damage

Flashing Systems



HOMEGUARD™ Titan House Wrap

- Customize with your company logo (minimum 1 pallet)
- CCMC Certified Air barrier and sheathing membrane
- Reduces energy bills in both winter and summer
- Built in drainage planes, protect the home from mold and other moisture related problems
- Lifetime Warranty (UV Resistant 120 days)

Insulation, Sealants & Foams



Professional solutions to tighten the building envelope and reduce:

- Air leakage & infiltration
- Moisture entry points
- Thermal bridging
- Energy loss
- · Heating & cooling costs
- Outside noise transmission
















TOOLS & EQUIPMENT

BENDING EQUIPMENT, SCAFFOLDING, LADDERS & HAND TOOLS









Ask us about our wide selection of finishing solutions for all your exterior projects.

We have the right tool for every job!

- Gutter Systems
- Tools
- Scaffolding
- Ladders
- Bending Equipment
- Colour Matched Trim Nails
- Cortex Screws
- Roofing Nails










2023 VINYL COLOUR MATRIX



[†] Musket Brown is only available in T4 Full Perforated Vent.

TRIMS & ACCESSORIES

| | 7" Beaded Soffit | Solid | Hidden Vent | Pleasant View Skirting | Triple 4" Skirting, Plain & Vented | Front, Back & Bottom Trims | Trims & Accessories | West Ridge 7/8" J-Channel-Deep Pocket | West Ridge H Trim | West Ridge Finish Trim | West Drip Cap | West Ridge 10' Apex Outside Corner Post | West Ridge Inside Corner Post | ½" J-Channel | 1/2" F-Channel | 5/8" J-Channel | 7/8" J-Channel | H-Trim | Finish Trim | Drip Cap | Inside Corner Post | 10'- 3" Outside Corner Post | 10'-Apex Outside Corner Post | 20'- 5.5" Outside Corner Post | Fluted 20'- 5.5" Outside Corner Post | 12' 3" Outside Corner Post | Belt Line | Window Casing Trim | Win/Door Trim | Recessed Win/Door Trim | Fascia & Fascia J | 1½" J-Channel | 12'-4.5" Outside Corner Post | 11/4" Inside Corner | 1 ¹ / _{4"} Window/Door Trim | 1½" Window/Door Starter |
|------------------|------------------|-------|-------------|------------------------|------------------------------------|----------------------------|---------------------|---------------------------------------|-------------------|------------------------|---------------|---|-------------------------------|---------------------------------------|---|---------------------------------------|----------------|--------|-------------|----------|--------------------|-----------------------------|------------------------------|-------------------------------|--------------------------------------|----------------------------|-----------|--------------------|---------------|------------------------|-------------------|---------------|------------------------------|---------------------|---|-------------------------|
| RUSTIC | | | | | | | | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | | | | | | | | | | | | | | |
| BOLD PREMIUM | | | | | | | | | • | | • | • | • | | | • • • • • • • • • • • • • • • • • • • | | | • | | | • | | | | | | | | | | | | | | |
| NATURAL STANDARD | | | | | | | | | | | | | | • • • • • • • • • • • • • • • • • • • | • | | | | | | | | | | | | | | | | | | | | | |

^{*} Black soffit and trims are for soffit use only.

CERTIFICATE OF CONFORMANCE / WARRANTY

| PRODUCT PHYSICALS | | | | | | | | | | |
|--|---------------------|-----------------------------|-----------|--|--|--|--|--|--|--|
| TEST | STANDARD METHOD | UNITS OF MEASURE | RESULT | | | | | | | |
| Impact Resistance (Izod) Class 1 | - CAN/CGSB-41.24-95 | J/m | ≥80.1 | | | | | | | |
| Impact Resistance (Izod) Class 2 | CAIV/CO3D-41.24-33 | J/III | ≥266.9 | | | | | | | |
| Tensile Strength | ASTM D-638 | PSI | 8200 | | | | | | | |
| Modulus of elasticity | ASTM D-638 | PSI | 370000 | | | | | | | |
| Deflection of temperature under load @ 264 PSI | ASTM D-648 | °F | 163 | | | | | | | |
| Coefficient of linear expansion | ASTM D-696 | x10 ⁵ in./in./°F | 4.3 | | | | | | | |
| Chemical Resistance | ASTM D-543 | - | excellent | | | | | | | |
| Cell classification | ASTM D-1784 | class # | 13544-B | | | | | | | |

| FIRE RELATED PROPERTIES (PVC) | | | | | | | | | |
|-------------------------------|-----------------|---------|--|--|--|--|--|--|--|
| TEST | STANDARD METHOD | RESULT | | | | | | | |
| Flame spread index | ASTM E-84, | Class 1 | | | | | | | |

| SIDING/EXTRUDATE TYPICAL PHYSICAL PROPERTIES | | | | | | | | | | |
|--|-------------------|------------------|----------------------------|--|--|--|--|--|--|--|
| TEST | STANDARD METHOD | UNITS OF MEASURE | RESULT | | | | | | | |
| Impact Resistance (23°C/73°F) | ASTM D-4226 | inlbf | >60 | | | | | | | |
| Low Temperature flexibility | CAN/CGSB-41.24-95 | Visual | No cracking or spliting | | | | | | | |
| Shrinkage/reversion | ASTM D-1042 | % | ≤3 | | | | | | | |
| Surface Distortion | CAN/CGSB-41.24-95 | 50°C for white/ | Surface shall be free from | | | | | | | |
| Surface Distortion | ASTM D-3679-02 | 55° for colours | bulges and ripples | | | | | | | |

CODES/STANDARDS - Mitten Vinyl Siding conforms and/or surpasses certification standards in many countries.

CANADA UNITED STATES OF AMERICA AUSTRALIA
CAN/CGSB-41.24.95 ASTM 3679 AS/NZ S4256 Type B

CCMC Acceptance No. 06419L UBC Standard 14-2

Warranty:

All Mitten Vinyl products are covered by a Lifetime Limited Warranty. See warranty or visit mittensiding.com for details and limitations.

NES Certification: Mitten has received confirmation by the National Evaluation Service, Inc. (NES) at nateval.org that its vinyl siding products comply with the exterior wall covering and wind resistance provisions of the three U.S. model building codes (BOCA National, ICBO Uniform and SBCCI Standard) in addition to the new 2000 International Building Code of the International Code Council. This confirmation, as evidenced in the NES evaluation report (NER-528), provides guidance to code officials faced with approving the use of Mitten vinyl siding under these codes.

VSI online at vinylsiding.org

Vinyl Siding Institute provides assurance to homeowners, remodelers, contractors, planners, code officials and architects regarding the quality of the vinyl siding they select and use. Vinyl siding, certified under the VSI Vinyl Siding Certification Program, has been independently verified by a third-party laboratory to meet or exceed ASTM D3679, the long-standing industry-wide standard for quality vinyl siding.

VSI Certified Siding Installer Program

VSI Certified Installer Program provides training and certification for vinyl siding installers and companies. For more information please visit vinylsiding.org.

BRANCH LOCATIONS



WESTERN REGION

1. VICTORIA

#149-2745 Veterans Memorial Pkwy., Langford, BC V9B 0H4 P: 236.464.1749

7. EDMONTON

6236 50th St. NW, Building 11, Edmonton, AB T6B 2N7 P: 780.468.5222 (Siding) P: 780.451.2590 (Windows

12. SASKATOON

#102-815 66th Street E Saskatoon, SK S7P 0E6 P: 306.244.5777 (Siding) P: 306.374.6166 (Windows)

2. KELOWNA

340 Old Vernon Road Kelowna, BC V1X 4R2 P: 250.868.9006

8. RED DEER

#8 - 4622 61 Street Red Deer, AB T4N 2R2 P: 403.346.5189

13. WINNIPEG

Unit 10 - 127 Mountain View Rd. Winnipeg, MB ROC 3A0 P: 204.774.1580 (Siding) P: 204.774.1580 (Windows)

3. PORT COQUITLAM

1750 Coast Meridian Rd., Unit #118, Port Coquitlam, BC V3C 6R8 P: 778.383.1060 (Siding) P: 604.270.1488 (Windows)

9. LETHBRIDGE

#10 - 3004 9 Avenue N Lethbridge, AB T1H 5E5 P: 403.327.7281

4. PRINCE GEORGE

101 1596 Quin Street S Prince George, BC V2N 1X4 P: 250.564.7888

10. MEDICINE HAT

1887 6 Avenue SW Medicine Hat, AB T1A 8C3 P: 403.526.2520

5. CALGARY (Siding) 2008 - 48 Street SE

Calgary, AB T2B 2E5 P· 403 253 1988

11. REGINA

106 Leonard Street N Regina, SK S4N 5V7 P: 306.545.7635 (Siding) P: 306.352.2399 (Windows)

ONTARIO REGION

15. BRANTFORD

5A - 225 Henry St. Brantford, ON N3S 7R4 P: 519.753.1810

16. LONDON

3969 Commerce Rd. Unit # 2 London, ON N6N 1P5 P: 519.644.2675

17. WHITBY

Unit 3 - 185 William Smith Dr Whitby, ON L1N 0A3 P: 647.725.0734

18. OTTAWA

1000 Last Mile Drive, Unit 4 Ottawa, ON K1G 6Y1 P: 613.744.7548

QUEBEC REGION

19. MONTREAL

9075 Boul Henri-Bourassa East Montreal, QC H1E 1P6 P: 514.352.9555

ATLANTIC REGION

20. FREDERICTON

20 Casewood Dr. Fredericton, NB E3C 2L5 P: 506.453.0888

21. MONCTON


215 English Dr. Moncton, NB E1E 3Y8 P: 506.858.8824

22. DARTMOUTH

19 Gurholt Drive. Dartmouth, NS B3B 1J8 P: 902.468.3363

23. MOUNT PEARL

47 Clyde Ave. Mount Pearl, NL A1N 4R8 P: 709.368.4001



Mitten and its Allied product partners make every reasonable effort to ensure the accuracy of the information provided. As information continually changes throughout the day-to-day course of our business, Mitten and its partners reserve the right at any time to change or update this information without notice and make no warranties or representation to its accuracy.





Authorized Dealer/Distributor

MIT - 01/23 49-809-000-00 West



Part of the Cornerstone Building Brands Family

5A - 225 HENRY STREET • BRANTFORD, ONTARIO N3S 7R4 800.265.0774 (T) • 866.257.2168 (F) • MITTENSIDING.COM











